



# COLUMBIA PIPE & SUPPLY CO.

010 - 2

## CARBON STEEL PIPE - ELECTRIC WELD

PRICED PER FOOT

### STANDARD WEIGHT - A53

| SIZE       |        | WEIGHT<br>LBS/FT | BLACK               |                    |        | GALVANIZED |        |
|------------|--------|------------------|---------------------|--------------------|--------|------------|--------|
|            |        |                  | P.E.<br>Sngl Random | P.E.<br>Dbl Random | G-B-E  | P.E.       | G-B-E  |
| 2"         | Sch 40 | 3.65             | 11.94               | 11.94              |        | 16.67      | 17.09  |
| 2"         | Sch 80 |                  | 16.27               |                    |        |            |        |
| 2-1/2"     | Sch 40 | 5.79             | 16.46               | 16.46              | 17.11  | 23.87      | 24.54  |
| 2-1/2"     | Sch 80 |                  | 21.45               |                    |        |            |        |
| 3"         | Sch 40 | 7.58             | 21.46               | 21.46              | 22.31  | 31.16      | 32.04  |
| 3"         | Sch 80 |                  | 28.97               |                    |        |            |        |
| 4"         | Sch 40 | 10.79            | 28.73               | 28.73              | 29.94  | 42.46      | 43.72  |
| 4"         | Sch 80 |                  | 39.25               |                    |        |            |        |
| 5"         | Sch 40 | 14.62            | 39.42               | 39.42              | 41.07  | 58.04      | 59.75  |
| 5"         | Sch 80 |                  | 55.13               |                    |        |            |        |
| 6"         | Sch 40 | STD 18.97        | 50.94               | 50.94              | 53.07  | 75.09      | 77.31  |
| 6"         | Sch 80 |                  | 74.84               |                    |        |            |        |
| 8" x .250  | Sch 20 | 22.36            | 59.07               |                    |        |            |        |
| 8" x .322  | Sch 40 | STD 28.55        | 74.14               | 74.14              | 80.22  | 119.45     | 131.39 |
| 8"         | Sch 80 |                  | 131.23              |                    |        |            |        |
| 10" x .250 | Sch 20 | 28.04            | 86.18               |                    |        |            |        |
| 10" x .365 | Sch 40 | STD 40.48        | 121.71              | 116.24             | 128.13 | 219.98     |        |
| 10" x .500 | Sch 80 |                  | 168.27              |                    |        |            |        |
| 12" x .250 | Sch 20 | 33.38            | 102.61              |                    |        |            |        |
| 12" x .375 | Sch 40 | STD 49.56        | 148.94              | 142.32             | 156.92 | 281.26     |        |
| 12" x .500 | Sch 80 |                  | 352.58              |                    |        |            |        |
| 14" x .375 | Sch 40 | 54.57            | 177.66              | 177.66             |        |            |        |
| 16" x .375 | Sch 30 | 61.58            | 188.15              | 179.70             |        |            |        |
| 18" x .375 | Sch 40 |                  | 326.93              | 326.93             |        |            |        |
| 20" x .375 | Sch 40 |                  | 352.58              | 352.58             |        |            |        |
| 24" x .375 | Sch 20 |                  | 422.78              | 422.78             |        |            |        |

G-B-E: RANDOM LENGTH GROOVED BOTH ENDS. FOR C-T-O, G-B-E, SEE PAGE 010-5

### SPRINKLER PIPE; Sch 10; A135A

| SIZE   | PE    | GBE   | SIZE | PE    | GBE   |
|--------|-------|-------|------|-------|-------|
| 2"     | 7.28  | 7.28  | 5"   | 23.73 | 23.73 |
| 2-1/2" | 9.73  | 9.73  | 6"   | 30.42 | 30.42 |
| 3"     | 11.94 | 11.94 | 8"   |       | 67.24 |
| 4"     | 15.47 | 15.47 |      |       |       |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



# COLUMBIA PIPE & SUPPLY CO.

030 - 15

## STANDARD ROUGH BRASS FITTINGS

| DESCRIPTION                        | 1/8-3/8" | 1/2"  | 3/4"   | 1"     | 1-1/4" | 1-1/2" | 2"     |
|------------------------------------|----------|-------|--------|--------|--------|--------|--------|
| 90 ELLS - STRAIGHT                 | 7.50     | 11.40 | 15.37  | 23.70  | 37.69  | 47.06  | 76.60  |
| 90 ELLS - REDUCING                 | 11.63    | 12.36 | 16.81  | 29.51  | 46.08  | 58.21  | 217.97 |
| 90 STREET ELLS                     | 11.40    | 14.18 | 20.00  | 33.10  | 50.67  | 66.01  | 111.92 |
| 45 ELLS - STRAIGHT                 | 8.21     | 10.44 | 15.37  | 25.93  | 41.48  | 51.98  | 84.27  |
| TEES - STRAIGHT                    | 10.44    | 13.13 | 18.89  | 33.55  | 47.06  | 64.73  | 106.07 |
| TEES - RED 1 OPENING               |          | 15.92 | 22.63  | 41.33  | 58.21  | 80.18  | 131.02 |
| CROSS                              | 17.42    | 21.19 | 30.61  | 48.53  |        |        |        |
| COUPLINGS                          | 7.50     | 9.41  | 12.43  | 18.89  | 29.51  | 40.10  | 66.01  |
| REDUCERS < or = 2 SIZES            | 8.03     | 10.04 | 14.94  | 24.84  | 40.10  | 50.67  | 75.30  |
| REDUCERS > 2                       |          |       |        |        | 40.10  | 57.05  | 84.85  |
| CAPS                               | 5.63     | 7.50  | 9.92   | 15.53  | 23.63  | 31.90  | 54.14  |
| HEX BUSH < or = 2 SIZES            |          |       | 8.21   | 12.43  | 21.19  | 27.07  | 40.10  |
| HEX BUSH < or = 2 SIZES - BARSTOCK | 2.54     | 4.32  |        |        |        |        |        |
| HEX BUSH > 2 SIZES                 |          |       |        | 15.09  | 25.56  | 33.10  | 48.31  |
| PLUGS, SQUARE HEAD *               | 7.40     | 7.86  | 8.98   | 11.85  | 17.64  | 22.48  | 35.46  |
| PLUGS, SQUARE HEAD SOLID           |          | 9.41  | 12.30  | 20.94  | 37.76  | 49.06  |        |
| PLUGS, SQ C/S                      |          | 9.99  |        | 15.76  | 28.96  | 36.35  | 55.96  |
| UNIONS 125 #                       | 26.61    | 28.93 | 40.10  | 53.12  | 77.78  | 91.82  | 141.33 |
| UNION 250# THREADED                | 105.26   | 74.73 | 105.26 | 140.37 | 199.75 | 257.03 | 404.53 |
| UNION ELBOW 250#                   |          | 96.73 | 131.88 | 222.26 | 251.11 | 393.38 | 600.94 |
| FLANGES 150 #                      |          |       |        | 121.28 | 171.80 | 198.16 | 319.36 |

| DESCRIPTION             | 2-1/2" | 3"     | 4"     |
|-------------------------|--------|--------|--------|
| 90 ELLS - STRAIGHT      | 150.28 | 230.52 |        |
| 45 ELLS - STRAIGHT      | 165.07 |        |        |
| TEE                     | 206.25 | 315.40 |        |
| TEES - RED 1 OPENING    |        | 391.73 |        |
| COUPLING                |        | 151.62 |        |
| REDUCERS < OR = 2 SIZES |        | 176.80 |        |
| HEX BUSH < or = 2 SIZES | 80.19  | 121.28 |        |
| PLUGS, SQUARE HEAD      | 60.71  | 97.06  | 189.56 |
| UNIONS 125 #            | 278.10 |        |        |
| UNION 250# THREADED     |        |        |        |
| FLANGES                 | 465.50 | 575.21 | 868.73 |

**NOTE:**

Prices for Reduced Fittings are size only. Please call our office for pricing of other sizes.

\* 3/8" Plug = Barstock

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**CHROME PLATED BRASS FITTINGS**

| DESCRIPTION             | 1/8-3/8" | 1/2"  | 3/4"  | 1"     | 1-1/4" | 1-1/2" |
|-------------------------|----------|-------|-------|--------|--------|--------|
| 90 ELLS - STRAIGHT      | 18.31    | 18.31 | 24.47 | 39.81  | 64.28  | 79.61  |
| 90 ELLS - REDUCING      |          | 29.31 | 34.91 |        |        |        |
| 45 ELLS - STRAIGHT      | 22.49    | 22.49 | 31.94 | 54.48  |        |        |
| 90 STREET ELLS          | 24.47    | 24.47 | 33.68 | 55.13  |        |        |
| 45 STREET ELLS          | 28.90    | 28.90 |       |        |        |        |
| TEES - STRAIGHT         | 21.49    | 21.49 | 30.54 | 55.13  |        |        |
| TEES - RED 1 OPENING    |          |       | 38.39 |        |        |        |
| COUPLINGS               | 15.31    | 15.31 | 21.49 | 15.31  |        |        |
| REDUCERS < or = 2 SIZES | 18.31    | 18.31 | 24.47 |        |        |        |
| CAPS                    | 12.17    | 12.17 | 15.31 |        |        |        |
| HEX BUSH < or = 2 SIZES |          | 13.49 | 16.99 | 21.49  |        |        |
| PLUGS, SQUARE HEAD      | 15.31    | 12.17 | 15.31 |        |        |        |
| UNIONS                  | 52.09    | 52.09 | 71.61 | 107.97 |        |        |

**STANDARD ROUGH BRASS NIPPLES**

| PIPE SZ<br>INCH | LENGTH |        |       |        |        |        |        |        |        |        |        |
|-----------------|--------|--------|-------|--------|--------|--------|--------|--------|--------|--------|--------|
|                 | CLOSE  | 1-1/2" | 2"    | 2-1/2" | 3"     | 3-1/2" | 4"     | 4-1/2" | 5"     | 5-1/2" | 6"     |
| 1/8"            | 3.77   | 4.25   | 4.57  | 5.18   | 5.59   | 6.04   | 6.79   | 7.67   | 8.31   | 8.97   | 9.62   |
| 1/4"            | 4.41   | 5.10   | 5.77  | 6.26   | 7.34   | 7.99   | 9.39   | 10.19  | 11.11  | 12.05  | 13.55  |
| 3/8"            | 4.57   | 5.41   | 6.57  | 7.12   | 8.71   | 9.39   | 11.18  | 11.90  | 13.05  | 14.19  | 15.35  |
| 1/2"            | 6.09   | 7.05   | 8.28  | 9.85   | 11.57  | 13.20  | 15.13  | 16.42  | 18.09  | 19.86  | 22.02  |
| 3/4"            | 8.78   | 9.36   | 11.06 | 12.82  | 14.79  | 16.60  | 19.29  | 20.99  | 23.16  | 25.31  | 28.18  |
| 1"              | 12.95  |        | 15.97 | 18.64  | 21.46  | 24.84  | 27.94  | 31.16  | 34.46  | 37.74  | 41.15  |
| 1-1/4"          | 19.54  |        | 22.31 | 25.23  | 29.86  | 34.94  | 39.32  | 43.54  | 48.02  | 52.53  | 57.37  |
| 1-1/2"          | 25.40  |        | 27.33 | 32.74  | 37.63  | 43.21  | 49.01  | 55.08  | 60.94  | 66.67  | 72.41  |
| 2"              | 38.68  |        |       | 41.77  | 48.20  | 55.48  | 63.06  | 70.30  | 77.95  | 85.51  | 93.10  |
| 3"              | 138.84 |        |       |        | 144.27 | 163.21 | 183.82 | 202.07 | 222.34 | 241.58 | 262.60 |

**CHROME PLATED BRASS NIPPLES**

| PIPE SZ<br>INCH | LENGTH |        |       |        |       |        |       |        |       |        |        |
|-----------------|--------|--------|-------|--------|-------|--------|-------|--------|-------|--------|--------|
|                 | CLOSE  | 1-1/2" | 2"    | 2-1/2" | 3"    | 3-1/2" | 4"    | 4-1/2" | 5"    | 5-1/2" | 6"     |
| 3/8"            | 8.40   | 9.93   | 12.07 | 13.08  | 16.00 | 17.26  | 20.54 | 21.87  | 23.99 | 26.08  | 28.21  |
| 1/2"            | 11.20  | 12.96  | 15.22 | 18.11  | 21.26 | 24.26  | 27.80 | 30.17  | 33.24 | 36.51  | 40.48  |
| 3/4"            | 21.78  |        | 27.44 | 31.81  | 36.70 | 41.18  | 47.87 | 52.07  | 57.47 | 62.80  | 69.92  |
| 1"              | 32.12  |        | 39.63 | 46.24  | 53.24 | 61.64  | 69.33 | 77.31  | 85.49 | 93.64  | 102.09 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**PVC - DWV PIPE**

| PIPE SIZE | LENGTH | WEIGHT PER 100' | LIST PER FT |
|-----------|--------|-----------------|-------------|
| 1-1/2"    | 20'    | 50.4            | 3.58        |
| 2"        | 20'    | 67.6            | 4.77        |
| 3"        | 20'    | 141             | 10.18       |
| 4"        | 20'    | 200             | 13.97       |
| 5"        | 20'    |                 | 44.91       |
| 6"        | 20'    | 350             | 32.14       |
| 8"        | 20'    | 543             | 39.02       |
| 10"       | 20'    |                 | 64.21       |
| 12"       | 20'    |                 | 94.39       |
| 14"       | 20'    |                 | 134.53      |
| 16"       | 20'    |                 | 176.84      |

| FOAM CORE PIPE | LENGTH     | WEIGHT PER 100' | LIST PER FT |
|----------------|------------|-----------------|-------------|
| 1-1/2"         | 10' or 20' | 38.1            | 2.98        |
| 2"             | 10' or 20' | 51.2            | 3.47        |
| 3"             | 10' or 20' | 105             | 7.13        |
| 4"             | 10' or 20' | 146             | 10.42       |

| BELLED ONE END PIPE | LENGTH | WEIGHT PER 100' | LIST PER FT |
|---------------------|--------|-----------------|-------------|
| 1-1/2"              | 20'    |                 | 3.66        |
| 2"                  | 20'    |                 | 5.05        |
| 3"                  | 20'    |                 | 10.81       |
| 4"                  | 20'    |                 | 14.80       |
| 6"                  | 20'    |                 | 33.82       |
| 8"                  | 20'    |                 | 41.05       |
| 10"                 | 20'    |                 | 67.72       |
| 12"                 | 20'    |                 | 99.51       |

**PVC - DWV FITTINGS**

| DESCRIPTION           | PART # | SIZE     | LIST   | DESCRIPTION                | PART #   | SIZE                                  | LIST     |                     |       |              |       |
|-----------------------|--------|----------|--------|----------------------------|----------|---------------------------------------|----------|---------------------|-------|--------------|-------|
| Coupling<br>HUB x HUB | 4801   | 1-1/2"   | 2.35   | Flush Bushing<br>SPG x FIP | 4803-2-F | 2x1-1/2"                              | 20.76    |                     |       |              |       |
|                       |        | 2"       | 3.03   |                            |          | Flush Bushing<br>SPG x H              | 4801-2-F | 1-1/2x1-1/4"        | 9.10  |              |       |
|                       |        | 2x1-1/2" | 6.76   |                            |          |                                       |          | 2x1-1/2"            | 4.00  |              |       |
|                       |        | 3"       | 10.45  |                            |          |                                       |          | 3x2"                | 10.04 |              |       |
|                       |        | 3x2"     | 15.79  |                            |          |                                       |          | 3x1-1/2"            | 19.22 |              |       |
|                       |        | 3x1-1/2" | 20.55  |                            |          |                                       |          | 4x3"                | 17.07 |              |       |
|                       |        | 4"       | 18.53  |                            |          |                                       |          | 4x2"                | 33.44 |              |       |
|                       |        | 4x3"     | 33.29  |                            |          |                                       |          | 6x4"                | 88.77 |              |       |
|                       |        | 4x2"     | 31.31  |                            |          |                                       |          | Adapters<br>H x MPT | 4804  | 1-1/2x1-1/4" | 5.94  |
|                       |        | 6"       | 60.34  |                            |          |                                       |          |                     |       | 1-1/4"       | 11.04 |
| 6x4"                  | 134.63 | 1-1/2"   | 4.53   |                            |          |                                       |          |                     |       |              |       |
|                       |        | 2"       | 5.85   |                            |          |                                       |          |                     |       |              |       |
| Repair Coupling       | 4801RP | 1-1/2"   | 12.64  |                            |          | 3"                                    | 16.83    |                     |       |              |       |
|                       |        | 2"       | 8.84   |                            |          | 4"                                    | 37.26    |                     |       |              |       |
|                       |        | 3"       | 22.32  | Adapters<br>SPG x MIP      | 4804-2   | 1-1/2"                                | 17.70    |                     |       |              |       |
|                       |        | 4"       | 42.97  |                            |          | 2"                                    | 19.76    |                     |       |              |       |
|                       |        | 6"       | 185.70 |                            |          | Fem Trap Adapter<br>w/ Nut HUB x SLIP | 4801-7   | 1-1/2x1-1/4"        | 8.59  |              |       |
| Insert Test Caps      | 5817P  | 1-1/2"   | 5.12   | 1-1/2"                     | 8.23     |                                       |          |                     |       |              |       |
|                       |        | 2"       | 4.61   |                            |          |                                       |          |                     |       |              |       |
|                       |        | 3"       | 5.63   |                            |          |                                       |          |                     |       |              |       |
|                       |        | 4"       | 7.04   |                            |          |                                       |          |                     |       |              |       |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**PVC - DWV FITTINGS**

| DESCRIPTION        | PART #   | SIZE         | LIST   | DESCRIPTION  | PART #  | SIZE      | LIST   |
|--------------------|----------|--------------|--------|--|---------|-----------|--------|
| Male Trap Adapter  | 4801-2-7 | 1-1/2x1-1/4" | 9.48   | 1/8 Bends  | 4806    | 1-1/2"    | 4.59   |
| w/ Nut             |          | 1-1/2"       | 8.59   | HUB x HUB  |         | 2"        | 6.61   |
| SPG x Slip         |          | 2"           | 33.87  |  |         | 3"        | 19.47  |
| Adapter            | 4803     | 1-1/2"       | 4.35   |  |         | 4"        | 34.16  |
| HUB x FIP          |          | 2"           | 7.38   |  |         | 6"        | 137.76 |
|                    |          | 3"           | 19.88  | 1/8 Bends  | 4806-2  | 1-1/2"    | 4.56   |
|                    |          | 4"           | 25.49  | SPG x HUB  |         | 2"        | 7.02   |
|                    |          | 6"           | 85.58  |  |         | 3"        | 19.09  |
| Clean Out Adapter  | 4816     | 1-1/2"       | 9.61   |  |         | 4"        | 32.62  |
| with Plugs         |          | 2"           | 11.66  |  |         | 6"        | 168.74 |
| SPG x FIP          |          | 3"           | 28.16  | Vent 1/4 Bends   | 4807-V  | 1-1/2"    | 9.95   |
|                    |          | 4"           | 44.85  | HUB x HUB  |         | 2"        | 13.09  |
|                    |          | 6"           | 135.78 |  |         | 3"        | 33.93  |
| Clean Out Adapter  | 4803-2   | 1-1/2"       | 5.49   | Vent ST 1/4 Bends  | 4807-2V | 1-1/2"    | 10.09  |
| SPG x FIP          |          | 2"           | 7.08   | SPG x HUB  |         | 2"        | 15.65  |
|                    |          | 3"           | 19.98  |  |         | 3"        | 40.16  |
|                    |          | 4"           | 32.82  | 1/4 Bends  | 4807    | 1-1/2"    | 4.67   |
|                    |          | 6"           | 95.58  | HUB x HUB  |         | 2"        | 7.38   |
| Clean Out Plugs    | 4818     | 1-1/2"       | 4.12   |  |         | 2x1-1/2"  | 28.18  |
| MPT                |          | 2"           | 4.58   |  |         | 3"        | 21.76  |
|                    |          | 3"           | 8.18   |  |         | 4"        | 42.89  |
|                    |          | 4"           | 12.07  |  |         | 6"        | 150.52 |
|                    |          | 6"           | 40.20  | Street 1/4 Bends   | 4807-2  | 1-1/2"    | 6.26   |
| Recessed Clean Out | 110      | 2"           | 15.02  | SPG x HUB  |         | 2"        | 9.53   |
| Plug               |          | 3"           | 17.43  |  |         | 3"        | 24.11  |
|                    |          | 4"           | 17.61  |  |         | 4"        | 45.35  |
| Hub Caps           | SC081    | 1-1/2"       | 9.28   |  |         | 6"        | 209.67 |
|                    |          | 2"           | 15.48  | 1/4 Bends - Side In  | 4807-9  | 3x3x2     | 44.38  |
|                    |          | 3"           | 26.78  | HUB x HUB  |         |           |        |
|                    |          | 4"           | 38.24  | 1/4 Bends- w/ Lo Heel  | 303     | 3x3x2     | 39.16  |
|                    |          | 6"           | 96.58  | HUB x HUB  |         | 3x3x1-1/2 | 45.44  |
| 1/16 Bends         | 4808     | 1-1/2"       | 6.45   |  |         | 4 x 4 x 2 | 77.31  |
| HUB x HUB          |          | 2"           | 8.00   | 1/4 Bend Long Sweep  | 4807-LT | 1-1/2"    | 11.23  |
|                    |          | 3"           | 20.48  | HUB x HUB  |         | 2"        | 12.15  |
|                    |          | 4"           | 31.31  |  |         | 3"        | 28.62  |
|                    |          | 6"           | 188.08 |  |         | 4"        | 54.66  |
| 1/16 Bends         | 4808-2   | 1-1/2"       | 18.22  |  |         | 6"        | 222.33 |
| SPG x HUB          |          | 2"           | 19.52  | PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you. |         |           |        |
|                    |          | 3"           | 30.70  |  |         |           |        |
|                    |          | 4"           | 44.77  |  |         |           |        |
|                    |          | 6"           | 182.20 |  |         |           |        |



**PVC - DWV FITTINGS**

| DESCRIPTION                      | PART # | SIZE            | LIST   |
|----------------------------------|--------|-----------------|--------|
| 1/4 Bend Long Sweep<br>SPG x HUB | 309    | 1-1/2"          | 17.24  |
|                                  |        | 2"              | 18.89  |
|                                  |        | 3"              | 51.96  |
|                                  |        | 4"              | 80.05  |
| 1/6 Bends<br>HUB x HUB           | 4860   | 1-1/2"          | 10.22  |
|                                  |        | 2"              | 13.12  |
|                                  |        | 3"              | 41.79  |
|                                  |        | 4"              | 64.67  |
| 1/6 Bends<br>SPG x HUB           | 320    | 1-1/2"          | 20.47  |
|                                  |        | 2"              | 26.72  |
|                                  |        | 3"              | 57.55  |
|                                  |        | 4"              | 83.69  |
| Double 1/4 Bend                  | 4837   | 1-1/2"          | 19.12  |
|                                  |        | 2"              | 26.06  |
|                                  |        | 3"              | 68.81  |
| Y - w/LH Side<br>Inlet HxHxHxH   | 625    | 3x3x3x2         | 166.07 |
|                                  |        | 4x4x4x2         | 228.81 |
| Y - W/RH Side<br>Inlet HxHxHxH   | 626    | 3x3x3x2         | 166.07 |
|                                  |        | 4x4x4x2         | 228.81 |
| Y<br>HxHxH                       | 4810   | 1-1/2"          | 16.01  |
|                                  |        | 2"              | 15.20  |
|                                  |        | 2x2x1-1/2       | 18.66  |
|                                  |        | 2x1-1/2x2x1-1/2 | 21.43  |
|                                  |        | 3"              | 41.03  |
|                                  |        | 3x3x2           | 30.34  |
|                                  |        | 3x3x1-1/2       | 26.85  |
|                                  |        | 4"              | 74.42  |
|                                  |        | 4x4x3"          | 60.38  |
|                                  |        | 4x4x2"          | 44.79  |
|                                  |        | 4x4x1-1/2       | 89.76  |
|                                  |        | 6x4"            | 165.08 |
| 6"                               | 224.65 |                 |        |
| 6x6x3                            | 218.28 |                 |        |
| Double Y<br>HxHxHxH              | 4834   | 1-1/2"          | 34.64  |
|                                  |        | 2"              | 40.00  |
|                                  |        | 2x1-2/2"        | 35.33  |
|                                  |        | 3"              | 81.36  |
|                                  |        | 3x1-1/2"        | 64.40  |
|                                  |        | 3x2"            | 60.61  |
|                                  |        | 4"              | 165.03 |
|                                  |        | 4x4x2x2         | 98.94  |
|                                  |        | 4x4x3x3         | 130.68 |
|                                  |        | 6"              | 324.36 |
| 6 x 4"                           | 438.39 |                 |        |

| DESCRIPTION         | PART #   | SIZE                | LIST   |             |        |
|---------------------|----------|---------------------|--------|-------------|--------|
| San Tees<br>HxHxH   | 4811     | 1-1/2"              | 8.50   |             |        |
|                     |          | 2"                  | 12.46  |             |        |
|                     |          | 2x1-1/2"            | 11.00  |             |        |
|                     |          | 2x1-1/2x2"          | 13.30  |             |        |
|                     |          | 2x1-1/2x1-1/2"      | 10.96  |             |        |
|                     |          | 3"                  | 32.77  |             |        |
|                     |          | 3x2"                | 24.50  |             |        |
|                     |          | 3x1-1/2"            | 23.17  |             |        |
|                     |          | 4"                  | 58.24  |             |        |
|                     |          | 4x1-1/2"            | 62.71  |             |        |
| San Tees<br>HxSPGxH | 4811-2   | 1-1/2"              | 25.60  |             |        |
|                     |          | 2"                  | 24.86  |             |        |
|                     |          | 3"                  | 41.46  |             |        |
|                     |          | 4"                  | 108.22 |             |        |
|                     |          | San Tee - LH Inlet  | 4871   | 3x3x3x1-1/2 | 80.79  |
|                     |          | San Tee - LH Inlet  |        | 3x3x3x2     | 59.60  |
|                     |          | San Tee - RH Inlet  | 4672   | 3x3x3x2     | 59.60  |
|                     |          | San Tee - RH Inlet  | 4872   | 4x4x4x2     | 134.41 |
|                     |          | San Tee - LH Inlet  | 4671   | 4x4x4x2     | 134.41 |
|                     |          | San Tee - R&L Inlet | 4670   | 3x3x3x2x2   | 91.33  |
| San Tee - R&L Inlet | 4670     | 4x4x4x2x2           | 155.60 |             |        |
| Double San Tees     | 4835     | 1-1/2"              | 18.86  |             |        |
|                     |          | 2"                  | 25.47  |             |        |
|                     |          | 2x1-2/2"            | 19.22  |             |        |
|                     |          | 3"                  | 71.16  |             |        |
|                     |          | 3x2"                | 42.97  |             |        |
|                     |          | 3x1-1/2"            | 40.85  |             |        |
|                     |          | 4"                  | 114.44 |             |        |
|                     |          | 4x4x2x2             | 94.66  |             |        |
|                     |          | 4x4x3x3             | 97.12  |             |        |
|                     |          | Side In             | 438    | 3x3x3x3x2   | 93.69  |
|                     | 439      | 3x3x3x3x2x2         | 127.12 |             |        |
|                     | 4835-9-9 | 4x4x4x4x2           | 192.73 |             |        |
|                     |          | 4x4x4x4x2x2         | 204.18 |             |        |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



# COLUMBIA PIPE & SUPPLY CO.

040 - 10

## PVC - DWV FITTINGS

| DESCRIPTION                            | PART #   | SIZE                 | LIST   |
|--|----------|----------------------|--------|
| Comb Y & 1/8 Bend                      | 4812LR   | 1-1/2"               | 20.48  |
|  |          | 2"                   | 21.91  |
|  |          | 2x1-1/2"             | 28.80  |
|  |          | 3"                   | 54.51  |
|  |          | 3x2"                 | 36.05  |
|  |          | 3x3x1-1/2"           | 51.35  |
|  |          | 4"                   | 108.06 |
|  |          | 4x4x2"               | 58.65  |
|  |          | 4x4x3"               | 73.24  |
|  |          | 6"                   | 432.24 |
|  |          | 6x6x3"               | 470.19 |
| 6x6x4"                                 | 401.96   |                      |        |
| Double Comb Y & 1/8 Bend               | 4836     | 4"                   | 294.04 |
| Return Bends<br>HxH                    | 4879     | 1-1/2"               | 14.46  |
|  |          | 2"                   | 24.86  |
|  |          | 3"                   | 75.34  |
|  |          | 4"                   | 136.84 |
| Clean Out Tees<br>Less Plug<br>HxHxFIP | 4811-14V | 1-1/2"               | 17.32  |
|  |          | 2"                   | 20.17  |
|  |          | 3"                   | 39.11  |
|  |          | 4"                   | 70.18  |
| Clean Out Tees<br>With Plug<br>HxHxFIP | 4814     | 1-1/2"               | 21.43  |
|  |          | 2"                   | 24.75  |
|  |          | 3"                   | 47.30  |
|  |          | 4"                   | 82.26  |
|  |          | 6x6"                 | 408.38 |
| Vent Tees<br>HxHxH                     | 4811-V   | 1-1/2"               | 28.75  |
|  |          | 2"                   | 24.34  |
|  |          | 3"                   | 68.65  |
|  |          | 4"                   | 94.09  |
| Closet Flanges                         | 4848-A   | Offset<br>4x3"       | 66.03  |
|  |          | Spigot<br>4x3"       | 23.32  |
|  | 4855     | Knockout Hub<br>4x3" | 22.22  |
|  |          | 4x4"                 | 39.34  |
|  | 815      | Flush<br>4 x 3"      | 36.72  |

| DESCRIPTION                       | PART #  | SIZE       | LIST   |
|-----------------------------------|---------|------------|--------|
| Closet Flanges:                   |         |            |        |
| Adj w/ Ring Hub                   | 4851-A  | 4x3"       | 50.87  |
|                                   |         | 4x4"       | 57.55  |
| Adj w/ Metal Ring<br>Hub          | 812     | 4x3"       | 50.02  |
|                                   |         | 4x3"       | 19.09  |
|                                   |         | 4"         | 23.60  |
| P-Traps L/ Cleanout<br>HxH        | 4885    | 1-1/2"     | 16.25  |
|                                   |         | 2"         | 21.93  |
|                                   |         | 3"         | 74.34  |
|                                   |         | 4"         | 169.51 |
| P-Trap L/Cleanout<br>w/ Union HxH | 4895    | 1-1/2"     | 20.80  |
|                                   |         | 2"         | 45.15  |
| P-Trap W/Cleanout<br>HxH          | 4884    | 1-1/2"     | 26.85  |
|                                   |         | 2"         | 45.53  |
| w/plastic nut                     | 709X    | 1-1/2"     | 79.26  |
|                                   |         | 1-1/2"     | 35.46  |
| P-Trap L/ Cleanout<br>H x SJ      | 4892    | 1-1/2"     | 35.46  |
|                                   |         |            |        |
| Drum Trap                         | 4891    | 3x6x1-1/2" | 65.83  |
| Adapter Coupling<br>HxH           | 4800-SD | 4x3"       | 31.67  |
|                                   |         |            |        |
| Spigot Adapters<br>HxCI           | 4805    | 1-1/2x2"   | 33.72  |
|                                   |         | 2"         | 22.73  |
|                                   |         | 3"         | 40.74  |
|                                   |         | 3x4"       | 46.46  |
|                                   |         | 4"         | 65.53  |
| No Hub Adapter                    | 4805N   | 1-1/2"     | 30.00  |
|                                   |         | 2"         | 12.09  |
|                                   |         | 3"         | 17.58  |
|                                   |         | 4"         | 22.62  |
|                                   |         | 4x3"       | 37.62  |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



# COLUMBIA PIPE & SUPPLY CO.

050 - 4

## SOIL SPECIALS

| DESCRIPTION          | 1-1/2" | 2"    | 2-1/2" | 3"    | 3-1/2" | 4"    | 5"    | 6"    |
|----------------------|--------|-------|--------|-------|--------|-------|-------|-------|
| TEST PLUGS           |        | 36.44 |        | 46.88 |        | 58.86 | 37.17 | 93.24 |
| ECONO TEST PLUG      | 1.65   | 1.82  |        | 2.73  |        | 3.28  | 6.66  | 7.72  |
| OHIO CODE BRASS PLUG |        | 27.60 | 33.61  | 43.01 | 53.71  | 61.11 |       |       |

| DESCRIPTION              | xxx   | 1-1/2" | 2"    | 3"    | 4"    | 5"    | 6"     | 8"     |
|--------------------------|-------|--------|-------|-------|-------|-------|--------|--------|
| CHERNE REG TEST PLUGS    |       | 23.52  | 22.53 | 24.37 | 28.17 | 59.64 | 78.57  | 147.08 |
| CHERNE LONG TEST PLUG    |       |        | 42.95 | 55.22 | 70.63 |       | 151.35 |        |
| CHERNE PLUG GRIPPER      |       | 3.03   | 3.47  | 4.68  | 5.44  |       | 15.55  |        |
| CHERNE PLUG CLEAN SEAL   |       |        | 24.90 | 30.05 | 34.77 |       |        |        |
| CHERNE 2' EXTENSION HOSE | 9.45  |        |       |       |       |       |        |        |
| CHERNE 3' EXTENSION HOSE | 10.79 |        |       |       |       |       |        |        |
| CHERNE MANOMETER         | 39.74 |        |       |       |       |       |        |        |

|                                    |        |
|------------------------------------|--------|
| 50# Coil Tar Rope Oakum 50'        | 268.76 |
| 5# Carton 27 Cut Brown Oakum       | 26.88  |
| 5# Bag 27 Cut White Oakum          | 33.84  |
| 10# Bag White Oakum 200' Coil      | 61.42  |
| Qt Can Soil Pipe Lub (L95-200)     | 12.17  |
| Qt Can Soil Adhesive Lub (L95-202) | 48.69  |
| #2 Fib/Glass Joint Runner          | 52.08  |
| 1# Bag White Oakum                 | 9.95   |
| 1# Dark Oakum                      | 8.46   |

|                          |       |
|--------------------------|-------|
| Jones Stephens 2MIP Ball | 35.04 |
| Float Only SV Plactic 2  | 7.66  |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



# COLUMBIA PIPE & SUPPLY CO.

080 - 1

## CRANE BRONZE BODY VALVES

| FIGURE | DESCRIPTION          | 1/4"   | 3/8"   | 1/2"   | 3/4"   | 1"     | 1-1/4" | 1-1/2" | 2"      | 2-1/2"  | 3"      |
|--------|----------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|---------|
| 428    | GATE 125# RS         | 88.75  | 90.89  | 76.69  | 94.22  | 128.84 | 189.22 | 221.43 | 281.83  | 757.60  | 1028.14 |
| 431    | GATE 150# RS         | 107.15 | 151.63 | 93.62  | 103.37 | 137.44 | 213.20 | 246.77 | 336.58  |         | 1193.76 |
| 431UB  | GATE 150# RS         | 112.55 | 112.55 | 98.46  | 115.81 | 154.75 | 217.53 | 261.91 | 357.13  |         |         |
| 634-E  | GATE 300# RS         | 296.55 | 296.55 | 181.83 | 219.73 | 309.52 | 445.91 | 519.45 | 759.75  |         |         |
| 636-E  | GATE 300# NRS        |        |        | 479.25 | 575.78 | 688.33 |        | 937.23 | 1255.42 |         |         |
| 1      | GLOBE 125# BRZ DISC  | 125.55 | 159.12 | 129.83 | 151.01 | 217.65 | 318.28 | 362.73 | 537.07  |         |         |
| 7TF    | GLOBE 150#           | 149.34 | 149.34 | 140.69 | 189.40 | 296.55 | 497.82 | 564.95 | 852.85  |         |         |
| 88     | NEEDLE PT 200# GLOBE | 151.54 | 170.99 | 192.64 | 300.86 |        |        |        |         |         |         |
| 212-P  | GLOBE 200#           | 282.68 | 303.30 | 251.12 | 339.83 | 428.54 | 614.74 | 863.63 | 1313.89 |         |         |
| 29     | VERT LIFT 125# CHK   |        |        | 229.44 | 333.34 | 391.76 | 547.65 | 735.94 | 1047.61 |         |         |
| 37     | SWING CHECK 125#     | 90.89  | 90.89  | 83.32  | 105.52 | 145.01 | 199.12 | 228.38 | 339.83  | 854.99  | 1266.27 |
| 36     | SWING CHECK 200#     | 149.34 | 149.34 | 137.44 | 173.14 | 225.13 | 321.44 | 411.26 | 593.09  | 1255.42 |         |
| 76E    | SWING CHECK 300#     |        |        | 145.01 | 180.75 | 293.89 | 316.03 | 418.82 | 649.38  |         |         |

## CRANE IRON BODY VALVES

| FIGURE  | DESCRIPTION         | 2"      | 2-1/2"  | 3"      | 4"      | 5"      | 6"      | 8"      | 10"     | 12"     |
|---------|---------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| 465-1/2 | FLGD GATE           | 719.84  | 744.23  | 831.16  | 1192.67 | 1966.58 | 1966.58 | 3503.81 | 6484.96 | 8591.48 |
| 7-1/2E  | FLGD GATE           | 1666.56 | 1928.42 | 2168.01 | 3068.08 |         | 5347.41 |         |         |         |
| 351     | FLGD IB GLOBE       |         | 1561.61 | 1754.55 | 2489.24 |         | 4644.53 |         |         |         |
| 373     | FLGD IB CHECK       | 526.90  | 612.77  | 665.78  | 1030.47 |         | 1754.55 | 3503.81 |         |         |
| 30E     | ANGLE Y-PAT FLG 250 |         |         |         | 5432.23 |         | 9818.08 |         |         |         |

| FIGURE | DESCRIPTION         | 1/2"   | 3/4"   | 1"     | 1-1/2" | 2"     |
|--------|---------------------|--------|--------|--------|--------|--------|
| 488    | ALL IRN SCRDR CLAMP | 300.02 | 303.20 | 308.50 | 421.94 | 605.35 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



# COLUMBIA PIPE & SUPPLY CO.

100 - 7

## PLUMBING BRASS

| CAT NO.                      | DESCRIPTION  | LIST   |
|------------------------------|--|--------|
| <b>SPEAKMAN SHOWER HEADS</b> |  |        |
| S-2252-AF                    | PC Plated Model 2 ANYSTREAM 6-Jet; 2.5 GPM Flo-Control | 75.44  |
| S-2253-AF                    | PC Plated Model 3 ANYSTREAM 4-Jet; 2.5 GPM Flo-Control | 46.27  |
| SE-216-SSBV-Ext              | Safety Shower with SS Ball Valve Extension             | 469.32 |

|                |   |         |
|----------------|---|---------|
| <b>BRADLEY</b> |   |         |
| S19-2240A      | Eye & Eye/Face Wall Mount Wash Fixture; Yellow Cicolac (Old S19-220)  | 267.99  |
| S19-220BF      | Eye/Face Wall   | 967.97  |
| S19-3140A      | Combination Shower / Eyewash Yellow Cicolac Head & Bowl (Old S19-310) | 851.98  |
| S19-320        | Flow Switch Alarm   | 1566.96 |
| S19-270-HD     | Deck mounted Eyewash  | 506.99  |
| S19-2000       | Thermostatic Mixing Valve w/ Cold Water Bypass                        | 669.99  |
| S59-2080       | Rough Brz 1 x 1-1/4" Navigator Thermostatic Mixing Valve              | 932.99  |
| S59-2045       | Rough Brz 3/4 x 1" Navigator Thermostatic Mixing Valve                | 774.99  |
| S59-2025       | Rough Brz 3/4 x 3/4" Navigator Thermostatic Mixing Valve              | 693.99  |
| S19-270B       | Deck Mount Swing Away Eyewash Less Bowl                               | 390.99  |
| S19-2200       | Thermostatic Mixing Valve 1 x 1-1/4" ERX60                            | 1432.98 |
| S19-2100       | Thermostatic Mixing Valve 3/4 x 1" ERX25                              | 1036.98 |
| S19-200B       | Faucet Mount Emergency Eyewash  | 78.00   |
| S59-4000A      | Therm Mix Valve 3/8" Comp w/ Checks                                   | 92.00   |

|             |                                  |        |
|-------------|----------------------------------|--------|
| <b>HAWS</b> |                                  |        |
| SP225       | 1/2 x 1/4 BV Assembly Horizontal | 128.00 |
| SP229       | 1/2 x 1/2 BV Assembly Horizontal | 128.00 |
| SP21FC      | Eye / Face Hd Assembly           | 225.00 |

|              |  |       |
|--------------|--|-------|
| <b>ENCON</b> |  |       |
| 00011059     | 3-Way Bronze Eyewash Ball Valve              | 89.89 |
| 01052123     | Eyewash Dual Stream Head w/ Float Off Covers | 80.36 |
| 0152515      | Eyewash Valve Extension w/ Push Plate        | 69.91 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**EEMAX  
TANKLESS WATER HEATERS**

| Model Number | Volts | KW | Amps | Temp Rise @ .5 GPH | List |
|--------------|-------|----|------|--------------------|------|
|--------------|-------|----|------|--------------------|------|

**ELECTRIC "SINGLE POINT" MODELS**

Designed for undersink handwashing installation, cold water feed only. Single faucet use with 3/8" compression fittings at top of unit. Top or rear entry electric.  
.5 GPM Faucet aerator provided.

|        |      |     |       |          |        |
|--------|------|-----|-------|----------|--------|
| SP2412 | 120v | 2.4 | 20A   | 33 deg F | 320.64 |
| SP3208 | 208v | 3.0 | 14.4A | 41 deg F | 326.53 |
| SP3512 | 120v | 3.5 | 29A   | 48 deg F | 320.64 |
| SP4208 | 208v | 4.1 | 19.7A | 56 deg F | 326.53 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**A. O. SMITH  
RESIDENTIAL GAS WATER HEATERS**

| Model Number | Cap Gallons | Draft Diverter | Input BTUH (Nat'l Gas)* | Recovery GPH * | Height (w/drafthood) | Diameter | Approx. Ship Wt. | List |
|--------------|-------------|----------------|-------------------------|----------------|----------------------|----------|------------------|------|
|--------------|-------------|----------------|-------------------------|----------------|----------------------|----------|------------------|------|

| <b>PROMAX HIGH RECOVERY</b> (6 YEAR TANK / 6 YEAR PARTS WARRANTY)  |    |   |        |    |         |         |     |         |
|--|----|---|--------|----|---------|---------|-----|---------|
| Features: Inputs 50,000 BTU+, Coregard Aluminum Anode, Brass Drain Valve, Dynaclean Inlet Tube, External Heat Trap Nipples, Pipe Insulation and T&P Insulation (except 75 & 100 gallon models) |    |   |        |    |         |         |     |         |
| GCV-65   | 65 | 4 | 65,000 | 66 | 63-1/4" | 22"     | 215 | 1539.00 |
| FCG-75   | 74 | 4 | 75,100 | 80 | 61"     | 26-1/2" | 275 | 1119.60 |
| FCG-100  | 98 | 4 | 75,100 | 82 | 68-1/2" | 26-1/2" | 350 | 3108.60 |

| <b>PROMAX SIDEWALL or VERTICAL VENT</b> (6 YEAR TANK / 6 YEAR PARTS WARRANTY)  |    |          |         |     |         |         |     |         |
|--|----|----------|---------|-----|---------|---------|-----|---------|
| Vents with PVC, CPVC, and ABS, Hot Surface Ignition, Extra Long Dip Tube, Installed T & P Valve, Coregard Aluminum Anode, External Heat Trap Nipples, Pipe Insulation and T&P Insulation (except 75 gallon models) |    |          |         |     |         |         |     |         |
| GPS-75   | 74 | 3" or 4" | 80,000  | 86  | 66"     | 25-1/2" | 245 | 1756.80 |
| GPVH-40  | 40 | 2" or 3" | 40,000  | 44  | 63"     | 18-1/2" | 157 | 1251.00 |
| GPVH-50  | 50 | 2" or 3" | 40,000  | 44  | 65"     | 20"     | 177 | 1303.20 |
| GPVR-40  | 40 |          | 40,000  | 44  | 63"     | 20-1/2" | 166 | 2119.18 |
| GPVT-50L   | 50 | 2"       | 50,000  | 53  | 65"     | 22"     | 186 | 2179.80 |
| GPHE-50  | 50 | 2"       | 76,000  | 92  | 70-5/8" | 22"     | 210 | 2406.60 |
| GDHE-50  | 50 | 2"       | 100,000 | 129 | 68-1/2" | 22"     | 255 | 3155.40 |

| <b>EFFEX HIGH EFFICIENCY SERIES 100</b> (6 YEAR TANK / 6 YEAR PARTS WARRANTY)   |    |        |        |    |         |     |     |         |
|---|----|--------|--------|----|---------|-----|-----|---------|
| .7 Energy Factor (EF), Powered Anode, LCD User Interface, Electronic Ignition, FVIR, Advanced Technology, Energy Star qualified |    |        |        |    |         |     |     |         |
| GAHH-40   | 40 | 3 or 4 | 40,000 | 43 | 61-3/4" | 20" | 157 | 1258.20 |
| GAHH-50   | 50 | 3 or 4 | 40,000 | 43 | 60-5/8" | 22" | 171 | 1312.20 |

| <b>PROMAX DIRECT VENT</b> (6 YEAR TANK / 6 YEAR PARTS WARRANTY)   |    |    |        |    |     |     |     |         |
|---|----|----|--------|----|-----|-----|-----|---------|
| Uses outside air for combustion, Vents with PVC, CPVC, & ABS, Hot Surface Ignition, Extra Long Dip Tube, Installed T & P Valve, Coregard Aluminum Anode, External Heat Trap Nipples, Pipe Insulation and T&P Insulation |    |    |        |    |     |     |     |         |
| GPD-40  | 40 | 3" | 40,000 | 41 | 57" | 21" | 224 | 1911.60 |
| GPD-50  | 50 | 3" | 40,000 | 41 | 66" | 21" | 232 | 1998.00 |

\* NOTE: Recovery Rate shown at a 90 degree rise.

|                         |              |
|-------------------------|--------------|
| <b>ADDER FOR LP GAS</b> | <b>72.00</b> |
|-------------------------|--------------|

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**A. O. SMITH  
RESIDENTIAL GAS WATER HEATERS**

| Model Number | Cap Gallons | Vent Connection | Input BTUH (Nat'l Gas)* | Recovery GPH * | Height (w/drafthood) | Diameter | Approx. Ship Wt. | List |
|--------------|-------------|-----------------|-------------------------|----------------|----------------------|----------|------------------|------|
|--------------|-------------|-----------------|-------------------------|----------------|----------------------|----------|------------------|------|

| <b>PRO-MAX</b> (6 YEAR TANK / 6 YEAR PARTS WARRANTY)             |    |          |        |    |         |         |     |         |
|--|----|----------|--------|----|---------|---------|-----|---------|
| Brass Drain Valve, Coregard Aluminum Anode, Dynaclean Inlet Tube |    |          |        |    |         |         |     |         |
| TALL MODELS  |    |          |        |    |         |         |     |         |
| GCV-30   | 28 | 3" or 4" | 40,000 | 41 | 59-5/8" | 16"     | 112 | 608.40  |
| GCV-40   | 38 | 3" or 4" | 40,000 | 41 | 57-5/8" | 18-1/2" | 126 | 577.80  |
| GCV-50   | 50 | 3" or 4" | 40,000 | 41 | 60-5/8" | 20"     | 160 | 655.20  |
| SHORT MODELS   |    |          |        |    |         |         |     |         |
| GCVL-30  | 30 | 3" or 4" | 40,000 | 41 | 48-1/8" | 18-1/8" | 122 | 608.40  |
| GCVL-40  | 40 | 3" or 4" | 40,000 | 41 | 51-5/8" | 20"     | 139 | 577.80  |
| GCVL-50  | 50 | 3" or 4" | 40,000 | 41 | 53-1/4" | 24"     | 168 | 817.20  |
| GCVT-40  | 38 | 4"       | 50,000 | 51 | 58-1/2" | 20-1/2" | 138 | 1089.00 |
| GCVT-50  | 50 | 3" or 4" | 40,000 | 50 | 60-5/8" | 20"     | 172 | 975.60  |

| <b>PROMAX HIGH RECOVERY</b> (10 YEAR TANK / 6 YEAR PARTS WARRANTY)  |    |        |        |      |         |         |     |         |
|---|----|--------|--------|------|---------|---------|-----|---------|
| Inputs 50,000 BTU+, Coregard Magnesium Anode, Brass Drain Valve, Dynaclean Inlet Tube, External Heat Trap Nipples |    |        |        |      |         |         |     |         |
| PCG-75  | 75 | 4      | 75,000 | 75.9 | 61-1/2" | 25-1/2" | 271 | 1281.60 |
| XGV-40  | 40 | 3 or 4 | 40,000 | 41   | 63-1/2" | 20-1/2" | 166 | 1719.00 |
| XCV-40  | 40 | 3 or 4 | 40,000 | 41   | 61-3/4" | 18"     | 138 | 739.80  |
| GCVX-50   | 50 | 4      | 65,000 | 66   | 63-7/8" | 22"     | 195 | 1234.80 |

\* NOTE: Recovery Rate shown at a 90 degree rise.

|                  |       |
|------------------|-------|
| ADDER FOR LP GAS | 72.00 |
|------------------|-------|

| <b>TANKLESS HEATER; NON-CONDENSING; I</b> (12 YEAR LTD WARRANTY - RESIDENTIAL)<br>(5 YEAR LTD WARRANTY - COMMERCIAL) |        |                        |         |                        |          |          |                 |         |
|--|--------|------------------------|---------|------------------------|----------|----------|-----------------|---------|
|  | TYPE   | BTU Input Natl/Propane |         | Hot Water Output (GPM) |          |          | Approx Ship Wt. |         |
|  |        | Min                    | Max     | Max                    | 45° Rise | 70° Rise |                 |         |
| ATI-110-N  | Indoor | 19,500                 | 140,000 | 6.6                    | 5.1      | 3.3      | 38              | 921.60  |
| ATI-310-N  | Indoor | 11,000                 | 190,000 | 8.0                    | 6.9      | 4.4      | 43              | 1197.00 |
| ATI-510-N  | Indoor | 11,000                 | 199,000 | 10.0                   | 7.2      | 4.7      | 45              | 1503.00 |
| ATI-520H-N   | Indoor | 13,000                 | 199,000 | 9.0                    | 8.1      | 5.2      | 85              | 1935.00 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**A. O. SMITH  
RESIDENTIAL ELECTRIC WATER HEATERS**

| Model Number | Gal Cap | Standard Voltage | Normal Height | Diameter | Approx. Ship Wt.(lbs) | List |
|--------------|---------|------------------|---------------|----------|-----------------------|------|
|--------------|---------|------------------|---------------|----------|-----------------------|------|

| <b>PROMAX</b> (6 YEAR TANK / 6 YEAR PARTS WARRANTY)  |      |     |         |         |     |         |
|--|------|-----|---------|---------|-----|---------|
| Tamper Resistant Brass Drain Valve, T & P Valve Supplied, Low Watt Density Bottom Element<br>Dynaclean Dip Tube, Coregard Aluminum Anode |      |     |         |         |     |         |
| <b>SHORT MODELS</b>  |      |     |         |         |     |         |
| ECS-30   | 30   | 240 | 36-1/2" | 20-1/2" | 100 | 541.80  |
| ECS-40   | 40   | 240 | 44"     | 20-1/2" | 115 | 522.00  |
| <b>TALL MODELS:</b>  |      |     |         |         |     |         |
| ECT-30   | 30   | 240 | 45-1/4" | 18"     | 94  | 541.80  |
| ECT-40   | 40   | 240 | 59-1/2" | 18"     | 115 | 522.00  |
| ECT-40   | 40   | 208 | 59-1/2" | 18"     | 115 | 522.00  |
| ECT-40   | 40   | 277 | 59-1/2" | 18"     | 115 | 558.00  |
| ECT-52   | 50   | 240 | 54"     | 20-1/2" | 125 | 552.60  |
| ECT-80   | 80   | 240 | 60-1/2" | 24"     | 200 | 1049.40 |
| ECT-120  | 119  | 240 | 64-1/4" | 28"     | 320 | 2275.20 |
| <b>LOWBOY TOP CONNECT MODELS:</b>  |      |     |         |         |     |         |
| ECL-30   | 29   | 240 | 30"     | 22"     | 105 | 577.80  |
| ECL-50   | 50   | 240 | 34"     | 26-1/2" | 170 | 604.80  |
| ECLN-40  | 38   | 240 | 31-1/4" | 23"     | 125 | 565.20  |
| ECJN-40  | 38   | 240 | 31-1/2" | 23"     | 131 | 865.80  |
| <b>LOWBOY SIDE CONNECT MODELS:</b>   |      |     |         |         |     |         |
| ELJ-30   | 29   | 240 | 30"     | 22"     | 111 | 829.80  |
| <b>COMPACT MODELS</b>  |      |     |         |         |     |         |
| EJCT-20  | 19.9 | 120 | 31-1/2" | 16"     | 62  | 520.20  |
| EJC-10   | 10   | 120 | 18-1/4" | 16"     | 45  | 414.00  |
| EJC2   | 2.5  | 120 | 16"     | 13-3/4" | 18  | 309.60  |
| EJC-6  | 6    | 120 | 15-1/4" | 14-1/8" | 31  | 331.20  |

\* NOTE: Recovery Rate shown @ 90 degree rise.

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



# COLUMBIA PIPE & SUPPLY CO.

110 - 5

## A. O. SMITH COMMERCIAL GAS WATER HEATERS

| Model Number | Input BTUH Nat | Height w/Draft Hood | Diameter | Rec Cap GPH * | Cap US Gals | Vent Size | Approx. Ship Wt.(lbs) | List |
|--------------|----------------|---------------------|----------|---------------|-------------|-----------|-----------------------|------|
|--------------|----------------|---------------------|----------|---------------|-------------|-----------|-----------------------|------|

| <b>BT MODELS</b> (3 YEAR LIMITED TANK WARRANTY)  |        |         |         |    |     |   |     |         |
|--|--------|---------|---------|----|-----|---|-----|---------|
| Features: Foam Insulation; Anodic Protection; Handhold Clean-Out; Installed T&P Relief Valve |        |         |         |    |     |   |     |         |
| BT-65  | 50,000 | 64-3/4" | 20-1/4" | 48 | 50  | 4 | 165 | 1996.14 |
| BT-80  | 68,000 | 61-1/8" | 25-1/2" | 63 | 75  | 4 | 291 | 2791.84 |
| BT-100   | 68,000 | 68-3/4" | 26-1/2" | 63 | 100 | 4 | 366 | 3459.73 |

| <b>MASTER FIT MODELS</b>  |         |         |         |     |     |   |     |          |
|---|---------|---------|---------|-----|-----|---|-----|----------|
| Features: Glass Lined Tank; Fully Automatic Controls w/Safety Shutoff; Foam Insulation; Handhole Cleanout; Intermittent Ignition Device; Low-Profile Snap Action Draft Diverter; Anodes |         |         |         |     |     |   |     |          |
| BTR-120   | 120,000 | 69-3/4" | 27-3/4" | 116 | 71  | 5 | 400 | 5274.17  |
| BTR-154   | 154,000 | 73"     | 27-3/4" | 149 | 81  | 6 | 470 | 6701.42  |
| BTR-180   | 180,000 | 66"     | 27-3/4" | 175 | 81  | 6 | 490 | 6909.43  |
| BTR-197   | 199,000 | 74"     | 27-3/4" | 193 | 100 | 6 | 530 | 5784.17  |
| BTR-199   | 199,000 | 67-1/2" | 27-3/4" | 193 | 81  | 6 | 470 | 5660.12  |
| BTR-200   | 199,000 | 71"     | 30-1/4" | 193 | 100 | 6 | 740 | 5807.98  |
| BTR-275A  | 275,000 | 72"     | 30-1/4" | 267 | 100 | 8 | 630 | 9885.47  |
| BTR-305A  | 305,000 | 75"     | 27-3/4" | 296 | 65  | 8 | 750 | 9951.88  |
| BTR-365A  | 365,000 | 79-1/2" | 27-3/4" | 354 | 85  | 8 | 725 | 10994.44 |
| BTR-400A  | 399,000 | 75-1/2" | 30-1/4" | 387 | 100 | 8 | 874 | 13356.47 |
| BTR-500A  | 500,000 | 82-1/4" | 27-3/4" | 479 | 85  | 8 | 745 | 14526.84 |

| <b>CYCLONE XHE MODELS</b>  |         |         |         |     |     |   |     |          |
|--|---------|---------|---------|-----|-----|---|-----|----------|
| Features: Sidewall or Vertical Venting Capability; Patented Cyclonic Burner System; Double Glass-Lined; Diagnostic Control Panel; Handhole Cleanout; |         |         |         |     |     |   |     |          |
| BTH-120  | 125,000 | 55-1/2" | 27-3/4" | 142 | 60  | 3 | 460 | 5973.38  |
| BTH-150  | 150,000 | 75"     | 27-3/4" | 171 | 100 | 3 | 555 | 8124.91  |
| BTH-199  | 240,000 | 74-1/2" | 27-3/4" | 273 | 100 | 3 | 555 | 8322.89  |
| BTH-250  | 240,000 | 75"     | 27-3/4" | 273 | 100 | 3 | 555 | 8885.52  |
| BTH-250A   | 240,000 | 75"     | 27-3/4" | 273 | 100 | 3 | 595 | 11193.67 |
| BTH-300A   | 300,000 | 75-1/2" | 33-1/8" | 349 | 130 | 4 | 855 | 13554.46 |
| BTH-400A   | 399,900 | 75-1/2" | 33-1/8" | 465 | 130 | 4 | 855 | 15603.23 |
| BTH-500A   | 499,900 | 75-1/2" | 33-1/8" | 576 | 130 | 4 | 855 | 18068.02 |
| BTH-250 WI   | 240,000 | 75"     | 27-3/4" | 273 | 100 | 3 | 595 | 9418.07  |
| BTH-300 WI   | 300,000 | 75-1/2" | 33-1/8" | 349 | 130 | 4 | 855 | 12100.90 |
| BTH-400 WI   | 399,900 | 75-1/2" | 33-1/8" | 465 | 130 | 4 | 855 | 14119.59 |
| BTH-500 WI   | 499,900 | 75-1/2" | 33-1/8" | 576 | 130 | 4 | 855 | 16576.86 |

\* Recovery Capacity based on 100 deg. Temp Rise

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**COPPER HEATER EXCHANGER / SPECIAL CODE MODELS**

| Model Number                                   | Input BTUH Natural Gas | Recovery GPH 100 Deg TR Natural Gas | Approx. Ship Wt.      | List    |
|--|------------------------|-------------------------------------|-----------------------|---------|
| <b>CONSERVATIONIST COMMERCIAL WATER HEATER</b> |                        |                                     |                       |         |
| * Safety Pilot                                 |                        | * Gas Pressure Regulator            |                       |         |
| * Automatic Gas shutoff                        |                        | * Draft Diverter                    | * Natl Board Stamping |         |
| * Main & Pilot Cocks                           |                        | * Thermal Balancer on HW-200M       |                       |         |
| HW-120M  | 120,000                | 108                                 | 120                   | 2646.04 |
| HW-160M  | 160,000                | 144                                 | 155                   | 3005.39 |
| HW-200M  | 199,000                | 160                                 | 165                   | 3148.24 |
| HW-300   | 300,000                | 290                                 | 255                   | 4849.02 |
| HW-420   | 420,000                | 407                                 | 308                   | 5906.99 |
| HW-520   | 520,000                | 504                                 | 356                   | 6796.44 |
| HW-670   | 660,000                | 649                                 | 356                   | 7774.06 |

**A.O. SMITH GLASS - LINED STORAGE TANKS**

| Model    | Description                 | Dimensions Inches Dia x OAL | Approx. Ship Wt. | List     |
|----------|-----------------------------|-----------------------------|------------------|----------|
| TJV-120M | Jacketed; Vertical; 125 PSI | 29-1/2"x62"                 | 320              | 1707.93  |
| T-200A   | ASME Construction; 125 PSI  | 30" x 72"                   | 421              | 4265.45  |
| T-350A   | ASME Construction; 125 PSI  | 36"x87-1/2"                 | 695              | 6579.87  |
| TN-500A  | ASME                        | 42 x 88"                    | 865              | 8930.63  |
| TJV-200M | Jacketed; Non-ASME          |                             |                  | 4435.87  |
| TJV-250A | Jacketed; ASME              |                             |                  | 7342.99  |
| TJ-80S   | Jacketed; Vertical          |                             |                  | 1628.991 |
| T-120S   | Non-ASME                    |                             |                  | 2407.15  |
| T-80S    | Non-ASME                    |                             |                  | 1332.01  |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**AO SMITH COMMERCIAL  
ELECTRIC WATER HEATERS**

| Model Number | Gal Capacity | KW  | Volt | Phase | Approx Wt | List    |
|--------------|--------------|-----|------|-------|-----------|---------|
| DEL-6S       | 6            | 2.0 | 120  | 1     | 35        | 686.68  |
| DEL-6S       | 6            | 1.5 | 208  | 1     | 35        | 686.68  |
| DEL-6S       | 6            | 1.5 | 120  | 1     | 35        | 686.68  |
| DEL-10S      | 10           | 1.5 | 120  | 1     | 52        | 731.79  |
| DEL-10S      | 10           | 2.5 | 208  | 1     | 52        | 731.79  |
| DEL-10S      | 10           | 3   | 208  | 1     | 52        | 731.79  |
| DEL-15S      | 15           | 1.5 | 120  | 1     | 66        | 774.40  |
| DEL-15S      | 15           | 4.0 | 208  | 1     | 66        | 774.40  |
| DEL-20S      | 20           | 2.5 | 208  | 1     | 86        | 828.28  |
| DEL-30D      | 30           | 2.5 | 208  | 1     | 104       | 1786.88 |
| DEL-40D      | 40           | 2.5 | 208  | 3     | 135       | 1935.99 |
| DEL-50D      | 50           | 2.5 | 208  | 3     | 170       | 2147.76 |
| DRE-52       | 52           | 6   | 208  | 1     | 260       | 2889.58 |
| DRE-52       | 52           | 18  | 208  | 1     | 260       | 3189.06 |
| DRE-52       | 52           | 36  | 208  | 1     | 265       | 4838.10 |
| DRE-80       | 80           | 6   | 208  | 1     | 274       | 3776.75 |
| DRE-80       | 80           | 18  | 208  | 1     | 274       | 3999.80 |
| DRE-80       | 80           | 36  | 208  | 1     | 279       | 5588.69 |
| DRE-120      | 119          | 6   | 208  | 1     | 385       | 4381.99 |
| DRE-120      | 119          | 18  | 208  | 1     | 385       | 4640.12 |
| DRE-120      | 119          | 36  | 208  | 1     | 390       | 6088.67 |
| DEN-30D      | 30           | 2.5 | 208  | 3     | 95        | 1677.86 |
| DEN-40D      | 40           | 2.5 | 208  | 3     | 110       | 1849.53 |
| DEN-40D      | 40           | 3.0 | 208  | 3     | 110       | 1849.53 |
| DEN-52D      | 52           | 2.5 | 208  | 3     | 128       | 2068.82 |
| DEN-66D      | 66           | 2.5 | 208  | 3     | 167       | 2352.01 |
| DEN-80D      | 80           | 2.5 | 208  | 3     | 206       | 2613.90 |
| DEN-80D      | 80           | 3.0 | 208  | 3     | 206       | 2613.90 |
| DEN-120D     | 119          | 2.5 | 208  | 3     | 331       | 3655.21 |
| DEN-120D     | 119          | 3.0 | 208  | 3     | 331       | 3655.21 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



# COLUMBIA PIPE & SUPPLY CO.

110 - 8

## A. O. SMITH ELECTRIC ELEMENTS

| MODEL NUMBER |   | LIST   |
|--------------|---|--------|
| 9005586105   | 15KW 208V 3-Element Gold Kit 52/80/120  | 250.56 |
| 9005588105   | 9KW 208V 3-Element Gold Kit 52/80/120   | 250.56 |
| 9005589105   | 12KW 208V 3-Element Gold Kit 52/80/120  | 250.56 |
| 9005590105   | 27KW 208V 6-Element Gold Kit 52/80/120  | 490.45 |
| 9005591105   | 30KW 208V 6-Element Gold Kit 52/80/120  | 490.45 |
| 9005593105   | 24KW 208V 6-Element Gold Kit 52/80/120  | 490.45 |
| 9005595105   | 45KW 208V 9-Element Gold Kit 52/80/120  | 728.71 |
| 9005598105   | 15KW 240V 3-Element Gold Kit 52/80/120  | 233.62 |
| 9005599105   | 18KW 240V 3-Element Gold Kit 52/80/120  | 233.62 |
| 9005601105   | 9KW 240V 3-Element Gold Kit 52/80/120   | 215.30 |
| 9005607105   | 24KW 240V 6-Element Gold Kit 52/80/120  | 433.61 |
| 9005619105   | 15KW 480V 3-Element Gold Kit 52/80/120  | 264.48 |
| 9005620105   | 18KW 480V 3-Element Gold Kit 52/80/120  | 264.48 |
| 9005622105   | 9KW 480V 3-Element Gold Kit 52/80/120   | 222.95 |
| 9005623105   | 12KW 480V 3-Element Gold Kit 52/80/120  | 272.14 |
| 9005631105   | 36KW 480V 6-Element Gold Kit 52/80/120  | 518.06 |
| 9005633105   | 24KW 480V 6-Element Gold Kit 52/80/120  | 533.37 |
| 9005640105   | 54KW 480V 9-Element Gold Kit 52/80/120  | 770.01 |
| 9005585105   | 13.5K 208V 3-Element Gold Kit 52/80/120 | 250.56 |
| 9005594105   | 40.5K 208V 9-Element Gold Kit 80/120    | 728.71 |
| 9005597105   | 13.5K 208V 3-Element Gold Kit 52/80/120 | 196.74 |
| 9005600105   | 6KW 240V 3-Element Gold Kit 52/80/120   | 187.69 |
| 9005602105   | 12KW 240V 3-Element Gold Kit 52/80/120  | 221.33 |
| 9005603105   | 27KW 240V 6-Element Gold Kit 52/80/120  | 384.42 |
| 9005604105   | 30KW 240V 6-Element Gold Kit 52/80/120  | 455.18 |
| 9005608105   | 40.5K 240V 9-Element Gold Kit 80/120    | 570.26 |
| 9005609105   | 45KW 240V 9-Element Gold Kit 52/80/120  | 676.51 |
| 9005610105   | 54KW 240V 9-Element Gold Kit 80/120     | 677.90 |
| 9005618105   | 13.5K 480V 3-Element Gold Kit 52/80/120 | 272.14 |
| 9005621105   | 6KW 480V 3-Element Gold Kit 52/80/120   | 264.48 |
| 9005629105   | 27KW 480V 6-Element Gold Kit 52/80/120  | 533.37 |
| 9005630105   | 30KW 480V 6-Element Gold Kit 52/80/120  | 518.06 |
| 9005638105   | 40.5K 480V 9-Element Gold Kit 80/120    | 793.67 |
| 9005639105   | 45KW 480V 9-Element Gold Kit 52/80/120  | 770.01 |
| 9005605105   | 36KW 240V 6-Element Gold Kit 52/80/120  | 455.18 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



# COLUMBIA PIPE & SUPPLY CO.

110 - 9

## A. O. SMITH ELECTRIC ELEMENTS

| MODEL NUMBER |             | LIST                                  |        |
|--------------|-------------|---------------------------------------|--------|
| 9003826105   | 1.5KW 120V  | 1-Element Conversion Kit DEL-6        | 43.15  |
| 9003827105   | 2KW 120V    | 1-Element Conversion Kit DEL-6        | 43.15  |
| 9003837105   | 1.5KW 208V  | 1-Element Conversion Kit DEL-6        | 43.15  |
| 9003839105   | 2.5KW 208V  | 1-Element Conversion Kit DEN/DEL      | 43.15  |
| 9003840105   | 3KW 208V    | 1-Element Conversion Kit DEN/DEL      | 43.15  |
| 9003843105   | 4.5KW 208V  | 1-Element Conversion Kit DEL          | 43.15  |
| 9003845105   | 6KW 208V    | 1-Element Conversion Kit DEN/DEL      | 43.15  |
| 9003852105   | 4.5KW 240V  | 1-Element Conversion Kit DEL          | 43.15  |
| 9003855105   | 6KW 240V    | 1-Element Conversion Kit DEL          | 43.15  |
| 9003856105   | 2.5KW 480V  | 1-Element Conversion Kit DEL          | 43.15  |
| 9003858105   | 4KW 480V    | 1-Element Conversion Kit DEL          | 43.15  |
| 9003861105   | 6KW 480V    | 1-Element Conversion Kit DEL          | 43.15  |
| 9003865105   | 2.5/2.5 208 | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9003866105   | 3/3KW 208V  | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9003868105   | 4/4KW 208V  | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9003869105   | 4.5KW 208V  | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9003870105   | 5KW 208V    | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9003874105   | 3/3KW 240V  | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9003877105   | 4.5KW 240V  | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9003879105   | 5.5/5.5 240 | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9003881105   | 3/3KW 480V  | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9003883105   | 4.5/4.5 480 | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9003885105   | 6/6KW 480V  | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9005606105   | 18KW 240V   | 6-Element Gold Kit 52/80/120          | 418.30 |
| 9005611105   | 36KW 240V   | 9-Element Gold Kit 80/120             | 645.66 |
| 9005641105   | 36KW 480V   | 9-Element Gold Kit 80/120             | 793.21 |
| 9005632105   | 18KW 480V   | 6-Element Gold Kit 52/80/120          | 435.00 |
| 9003816105   | 1.5/1.5KW   | 120V 2-Element Conversion Kit DEN/DEL | 81.43  |
| 9003817105   | 2.0/2.0 120 | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9003818105   | 2.5/2.5 120 | 2-Element Conversion Kit DEN/DEL      | 81.43  |
| 9003828105   | 2.5KW 120V  | 1-Element Conversion Kit DEL-6        | 43.15  |
| 9003829105   | 3.0KW 120V  | 1-Element Conversion Kit DEL-6        | 43.15  |
| 9003838105   | 2.0KW 208V  | 1-Element Conversion Kit DEL-6        | 43.15  |
| 9003842105   | 4KW 208V    | 1-Element Conversion Kit DEN/DEL      | 43.15  |
| 9003844105   | 5KW 208V    | 1-Element Conversion Kit DEN/DEL      | 43.15  |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**A. O. SMITH ELECTRIC ELEMENTS**

| MODEL NUMBER |             | LIST                                  |       |
|--------------|-------------|---------------------------------------|-------|
| 9003846105   | 1.5KW 240V  | 1-Element Conversion Kit DEL-6        | 43.15 |
| 9003847105   | 2.0KW 240V  | 1-Element Conversion Kit DEL-6        | 43.15 |
| 9003848105   | 2.5KW 240V  | 1-Element Conversion Kit DEL-6        | 43.15 |
| 9003849105   | 3.0KW 240V  | 1-Element Conversion Kit DEL-6        | 43.15 |
| 9003850105   | 3.5KW 240V  | 1-Element Conversion Kit DEL          | 43.15 |
| 9003851105   | 4.0KW 240V  | 1-Element Conversion Kit DEL          | 43.15 |
| 9003853105   | 5.0KW 240V  | 1-Element Conversion Kit DEL          | 43.15 |
| 9003854105   | 5.5KW 240V  | 1-Element Conversion Kit DEL          | 43.15 |
| 9003857105   | 3.0KW 480V  | 1-Element Conversion Kit DEL-6        | 43.15 |
| 9003859105   | 4.5KW 480V  | 1-Element Conversion Kit DEL          | 43.15 |
| 9003860105   | 5.0KW 480V  | 1-Element Conversion Kit DEL          | 43.15 |
| 9003862105   | 1.0/1.0KW   | 208V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003863105   | 1.5/1.5KW   | 208V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003864105   | 2.0/2.0KW   | 208V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003867105   | 3.5/3.5KW   | 208V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003871105   | 1.5/1.5KW   | 240V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003872105   | 2.0/2.0KW   | 240V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003875105   | 3.5/3.5KW   | 240V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003876105   | 4.0/4.0KW   | 240V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003878105   | 5.0/5.0KW   | 240V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003880105   | 2.5/2.5KW   | 480V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003882105   | 4.0/4.0KW   | 480V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003884105   | 5.0/5.0KW   | 480V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003886105   | 1.5/1.5 120 | 2-Element Conversion Kit DEN/DEL      | 81.43 |
| 9003873105   | 2.5/2.5KW   | 240V 2-Element Conversion Kit DEN/DEL | 81.43 |
| 9003841105   | 3.5KW 208V  | 1-Element Conversion Kit DEN/DEL      | 43.15 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**A. O. SMITH PARTS**

| MODEL NUMBER                              |  | LIST   |
|---|--|--------|
| <b>RESIDENTIAL GAS WATER HEATER PARTS</b> |  |        |
| 9006196005                                | 3/4 x 60 Val Run-Off Tubes (Old # 24120)         | 8.35   |
| 9003407005                                | Gas Valve F/CCV 30/40/50 (Old FCV30/40/50)       | 141.29 |
| 9004240005                                | Gas Valve F/FPSH-40/50 (183760)                  | 438.25 |
| 9006299005                                | 3/4" Plug Hi Zinc Anode-All Res Gas Htrs         | 40.37  |
| 9006655005                                | Gas Control Valve Natural                        | 150.57 |
| 9006657005                                | Gas Control Valve LP                             | 257.52 |
| 9003542005                                | Pilot Assembly W/Thrmcoup F/FCV Ser 900353005    | 57.07  |
| 9003573005                                | Burner Assembly F/State Water Heaters            | 83.52  |
| 9003626005                                | Ignitor Assembly F/GPSH-40/50 #100&200 (184047)  | 119.48 |
| 9005256015                                | Ignitor Assembly F/FPSH40/50 (183267)            | 139.90 |
| 9004662105                                | Blower Assembly F/FPSH40/50 (21237)              | 528.96 |
| 9004703105                                | Temperature Control (Old 23736)                  | 125.28 |
| 9004353105                                | Gas Control Valve (Old 180193-4)                 | 140.82 |
| 9004440105                                | Gas Valve Thermostat FPSH40/50                   | 447.76 |
| 9004441105                                | Gas Valve Thermostat (LP) FPSH40/50              | 450.08 |
| 9004661115                                | Temperature Limit Switch FPSH40/50 (Old - 21230) | 91.64  |
| 9004446105                                | Gas Valve Thermostat (Nat) FPSH75                | 461.91 |
| 9005114005                                | Gas Valve Thermostat (LP) GPS75                  | 422.01 |
| 9005899205                                | T & P Relief Valve BTH120/150/199                | 119.94 |
| 9005903205                                | T & P Relief Valve F/ BTH250A                    | 144.77 |
| 9006101205                                | Ignitor BTH199                                   | 139.20 |
| 9006255015                                | Low Gas Switch F/ BTH199                         | 116.93 |
| 9006285005                                | Natural Gas Valve F/ BTH199                      | 651.92 |
| 9006288015                                | Inlet Switch F/ BTH199                           | 93.73  |
| 9006106205                                | Flame Sensor F/ BTH199                           | 83.52  |
| 9006240005                                | Module Ignition F/ BTH199                        | 299.28 |
| 9005840205                                | Blower Assembly BTH120                           | 771.40 |
| 9005113005                                | Gas Valve Thermostat (Nat) GPS75                 | 412.03 |
| 9004447105                                | Gas Valve Thermostat (LP) FPSH75                 | 490.91 |
| 9004507205                                | Gas Valve (Natural) F/ BTH250A                   | 239.89 |
| 9004539205                                | Blower Assembly BTH150,199,250A                  | 716.88 |
| 9006264005                                | Controller BTH199                                | 621.06 |
| 9006289015                                | Blocked Outlet Switch BTH199                     | 93.73  |
| 9006618005                                | Burnerdoor Assembly LP GCV40                     | 126.67 |
| 9006619005                                | Burnerdoor Assembly GCVL40                       | 103.01 |
| 9006691005                                | Burnerdoor Assembly LP GCVL40                    | 103.01 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



## A. O. SMITH PARTS

| MODEL NUMBER   |   | LIST    |
|--|---|---------|
| <b>RESIDENTIAL GAS WATER HEATER PARTS, Continued</b> |   |         |
| 9006620005   | Burnerdoor Assy Nat GCV40                   | 103.01  |
| 9006621005   | Burnerdoor Valve Assy (Nat) GCV50           | 103.01  |
| 9006622005   | Burnerdoor Assy (LP) GCV50                  | 103.01  |
| 9004306005   | Blower Assembly FPSH40/50 Series 260-271E   | 488.824 |
| 9006280015   | Fan Prover Switch                           | 93.728  |
| 9004713105   | WR Propane Control Valve (23808-1)          | 296.50  |
| 9003408005   | LP Gas Valve GCV & GCVL 30/40/50            | 335.01  |
| 9004464005   | LP Gas Valve GPS-75/FPSH-75                 | 453.33  |
| 9004310005   | LP Gas Valve GPSH & GPVH 101/103/201        | 449.85  |
| 9003472005   | LP Pilot Assembly GCV 40                    | 57.07   |
| 9003455005   | LP Pilot Assembly GCVL & FCVL 30/40         | 57.07   |
| 9003541005   | LP Pilot Assembly GCV 50                    | 57.07   |
| 9004027005   | Blower Assembly GPS-75 (200/201)            | 465.86  |
| 9004465005   | Natural Gas Valve GPS-75/FPSH-75            | 445.21  |
| 9006029015   | FV Sensor and Bracket GPVH                  | 65.19   |
| 9005958005   | HSI Flame Sensor GPVH 40/50 100/101         | 97.21   |
| 9004316005   | Blower Assembly GPSH & GPVH 100/101 200/201 | 422.70  |
| 9004312005   | Gas Valve Thermostat GPSH40/50              | 362.38  |
| 9005112005   | Gas Valve Thermostat (LP) GPSH40/50         | 410.41  |
| 9003656005   | Propane Gas Dip Cntrl Vlv Old-182792-005    | 465.39  |
| 9003410015   | Piezo Ignitor (Old - 183798)                | 6.26    |
| 9003484005   | T & P Valve F/ FPSH75 (Old - 76527-5)       | 17.17   |
| 9004665115   | Air Blower Switch (Old - 21245-1)           | 106.02  |
| 9004581105   | Blower Assembly FPSH-75                     | 488.82  |
| 9004232005   | 1" Drop In Dip Tube (Old - 194891)          | 35.03   |
| 9004566115   | HSI Flame Sensor FPSH-75                    | 190.70  |
| 9004568105   | Blower Assembly FPSH75 (Old - 194220)       | 771.86  |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**A. O. SMITH PARTS**

| MODEL NUMBER                                   |  | LIST  |
|--|--|-------|
| <b>RESIDENTIAL ELECTRIC WATER HEATER PARTS</b> |  |       |
| 9002963005                                     | 11 Element Screw-In 1500W 120V 23790-4-D         | 23.66 |
| 9003210115                                     | 16-1/4 Element Screw-In 4500W 240V (24001-10D)   | 38.98 |
| 9004715115                                     | Lower Therm SPST Style 7025 Series (38007)       | 24.13 |
| 9003896215                                     | Upper Therm DPDT Style 7315 Series (38008)       | 42.46 |
| 9003950115                                     | 13-1/2 Element Screw-In 4500W 240V 23791-10-D    | 18.79 |
| 9004668115                                     | 13-12 Element Flged 4500W 240V (23617-10-D)      | 22.04 |
| 9004714115                                     | Lower Therm Single Throw (23897-1)               | 14.85 |
| 9004428115                                     | Upper Therm Double Throw With High Limit         | 32.94 |
| 9004784115                                     | Lower Therm With High Limit Control              | 27.61 |
| 9004716115                                     | Upper Therm Double Throw (23898-1)               | 18.79 |
| 9004718115                                     | High Limit Control (23899-1)                     | 12.99 |
| 9004778115                                     | High Limit Control Dpst Style 1610 SE HLC 38017) | 20.18 |
| 9002864005                                     | Element 1500W 240V Med Old-23791-4               | 29.93 |
| 9004704115                                     | Square Adapter Flange (Old - 23773)              | 12.76 |

|                                      |   |        |
|--------------------------------------|---|--------|
| <b>COMMERCIAL WATER HEATER PARTS</b> |   |        |
| 9005416105                           | Unlime 1 Gallon (4763)                        | 104.46 |
| 9005417105                           | Unlime 5 Gallon (4813)                        | 429.66 |
| 9004793105                           | Temperature Control Old 097933-015            | 289.07 |
| 9004470205                           | Intermittent Ignition (190714)                | 227.36 |
| 9000056015                           | 24 Thermocouple W/30 Millivolt Output (23675) | 12.99  |
| 9004771115                           | 36 Thermocouple W/30 Millivolt & JB (32536-7) | 25.29  |
| 9004993215                           | High Limit Cntrl W/SPST Surface Mnt 77981     | 32.71  |
| 9005029115                           | Pilot Burner (78700)                          | 150.10 |
| 9005043115                           | 32 Thermocouple (93065)                       | 58.46  |
| 9005680205                           | Saltflow Switch (78168) (Penn F61-K3)         | 324.80 |
| 9005908205                           | Thermal Bal (Off Delay Switch)(98190)         | 229.68 |
| 9005925205                           | Temperature Control (99058-1)                 | 278.40 |
| 9005891105                           | Light Commercial Gas Valve (38413)            | 164.72 |
| 9004515205                           | Transformer BTH120250A 966/970/971/973/976    | 56.38  |
| 9004238215                           | Up Probe W Eco BTH120-250A (Check Series)     | 98.83  |
| 9004241215                           | Lower Probe BTH120-250A (Check Series)        | 80.74  |
| 9004249205                           | Board Disp Panel BTH120-250A Check Series     | 144.54 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**A. O. SMITH PARTS**

| MODEL NUMBER                                    |   | LIST   |
|---|---|--------|
| <b>COMMERCIAL WATER HEATER PARTS, continued</b> |   |        |
| 9004242205                                      | Control Board & Cable BTH120-250A Check Series  | 507.38 |
| 9004519205                                      | Ignitor Assembly BTH120-250A (Check Series)     | 241.28 |
| 9005886215                                      | Flame Rod BTH120-250A (Check Series)            | 71.46  |
| 9004521205                                      | Natural Gas Valve BTH150 & 199 Check Seris      | 290.46 |
| 9004527205                                      | Natural Gas Valve BTR120/400A Sers 104-111      | 322.48 |
| 9004551205                                      | Natural Gas Valve BTR-500A                      | 644.50 |
| 9006055205                                      | Natural Gas Valve BTR120/500A Sers 118-119      | 272.14 |
| 9006066205                                      | Natural Gas Valve BTR305A-400A Series 118       | 227.82 |
| 9004529005                                      | Dual Control W/Eco BTR120/500A Ser 104-111      | 338.26 |
| 9004541215                                      | Natural Gas Pilot BTR120-500A Ser 104-118       | 73.08  |
| 9004542215                                      | LP Gas Pilot BTR120-500A Ser 105-119            | 73.08  |
| 9004544205                                      | Ignition Module BTR120-500A Ser 104-119         | 205.55 |
| 9004570205                                      | Thermostat BTR120-500A Series 118-119           | 259.84 |
| 9006048205                                      | Lower Probe BTR120-500A Series 118-119          | 74.94  |
| 9004586215                                      | Blower Provr Press Switch BTH199 Series 970     | 93.26  |
| 9004550215                                      | Blocked Outlet Press Switch BTH199 Series 970   | 65.19  |
| 9006047205                                      | Upper Probe BTR120-500A Series 118-119          | 75.40  |
| 9006328005                                      | Concentric Vent Kit-NAHA 001CV 3 Old 9003910105 | 203.00 |
| 9006144005                                      | Concentric Vent Kit For BTH400&BTH500           | 766.99 |
| 9005900215                                      | Blocked Inlet Press Switch BTH199 Series 970    | 88.86  |

| <b>OATEY WATER HEATER PARTS</b> |  |       |
|---------------------------------|--|-------|
| 34062                           | 22" Water Heater Catch Pan w/ 1" PVC Fitting (Plastic)     | 13.77 |
| 34063                           | 24" Water Heater Catch Pan w/ 1" PVC Fitting (Plastic)     | 15.66 |
| 34079                           | 18" Water Heater SAF Catch Pan w/ 2" Fitting (Aluminum)    | 30.72 |
| 34085                           | 30" Water Heater Catch Pan w/ 1" PVC Fitting (Aluminum)    | 46.83 |
| 34151                           | 20" Water Heater Catch Pan w/ 1" PVC Fitting (Aluminum)    | 29.97 |
| 34152                           | 22" Water Heater Catch Pan w/ 1" PVC Fitting (Aluminum)    | 31.53 |
| 34153                           | 24" Water Heater Catch Pan w/ 1" PVC Fitting (Aluminum)    | 33.60 |
| 34156                           | 28" Water Heater SAF Catch Pan w/ 1" PVC Fitting (Plastic) | 70.44 |
| 34175                           | 30" Water Heater Catch Pan w/ 1" CPVC Fitting (Aluminum)   | 90.21 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL - McLAIN  
ATMOSPHERIC GAS PACKAGED BOILERS  
WATER ONLY**

**TYPE "CGA" RATINGS - ALL MODELS**

| Boiler Number | % DOE Seasonal Efficiency (AFUE) |  |  |   | DOE Heating Cap. MBH | Net I=B=R Rating MBH | Approx. Shipping Wt. (Lbs) | I=B=R Chimney Size |
|---------------|----------------------------------|--|--|---|----------------------|----------------------|----------------------------|--------------------|
|               | A.G.A. Input MBH                 | Interm. Ignition With Damper Nat. Gas (PIDN) | Standing Pilot With Damper Nat. Gas (SPDN) | Standing Pilot With Damper Propane (SPDL) |                      |                      |                            |                    |
| CGA-25        | 52                               | 84.0   | 81.5                                       | 83.3                                      | 44                   | 38                   | 200                        | 4" I.D. x 20'      |
| CGA-3         | 70                               | 84.0   | 81.6                                       | 83.7                                      | 59                   | 51                   | 200                        | 4" I.D. x 20'      |
| CGA-4         | 105                              | 84.0   | 81.7                                       | 83.7                                      | 88                   | 77                   | 240                        | 5" I.D. x 20'      |
| CGA-5         | 140                              | 83.5   | 81.8                                       | 83.7                                      | 117                  | 102                  | 280                        | 6" I.D. x 20'      |
| CGA-6         | 175                              | 83.2   | 81.9                                       | 83.6                                      | 146                  | 127                  | 325                        | 6" I.D. x 20'      |
| CGA-7         | 210                              | 83.0   | 82.0                                       | 83.6                                      | 175                  | 152                  | 370                        | 7" I.D. x 20'      |
| CGA-8         | 245                              | 82.7   | 82.1                                       | 83.6                                      | 204                  | 177                  | 425                        | 7" I.D. x 20'      |

**Intermittent (Spark) Pilot w/ Damper - Natural Gas**

| BOILER NUMBER | "PIDN" LIST PRICE |
|---------------|-------------------|
| CGA-25        | 1681.95           |
| CGA-3         | 1892.95           |
| CGA-4         | 2076.94           |
| CGA-5         | 2344.94           |
| CGA-6         | 2704.93           |
| CGA-7         | 3056.92           |
| CGA-8         | 3345.91           |

**Standing Pilot w/ Damper Natural Gas**

| BOILER NUMBER | "SPDN" LIST PRICE |
|---------------|-------------------|
| CGA-25        | 1412.96           |
| CGA-3         | 1613.96           |
| CGA-4         | 1777.95           |
| CGA-5         | 2391.94           |
| CGA-6         | 2881.92           |
| CGA-7         | 2700.93           |
| CGA-8         | 2996.92           |

**Standing Pilot w/ Damper Propane Gas (LP)**

| BOILER NUMBER | "SPDL" LIST PRICE |
|---------------|-------------------|
| CGA-4         | 1777.95           |
| CGA-5         | 2040.94           |

**STANDARD EQUIPMENT**

- Factory Fire Tested
- Limited Lifetime Warranty
- Cast Iron Sections
- Built-In Air Separator
- 30 P.S.I. ASME Relief Valve
- Drain Valve
- Stainless Steel Burners
- Non-Linting Pilot Burner
- Automatic Vent Damper
- Thermal Fuel Element
- High Limit Temperature Control
- Combo Pressure-Temperature Gauge
- Wiring Harness
- Spill Switch
- Insulated Extended Jacket
- Two Piece Top Jacket Panel
- Electrical Junction Box
- Radiation Plates
- Vertical Draft Hood
- PIDN:**
- Integrated Control Module
- 40 VA Transformer
- Plug in Connectors
- SPN:**
- Combination Gas Valve & Regulator
- Standing Pilot
- Thermocouple

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL - McLAIN  
HIGH EFFICIENCY GAS INDUCED DRAFT BOILERS  
WATER ONLY**

**TYPE "CGi" (SERIES 2) RATINGS - ALL MODELS**

| Boiler Number | A.G.A. Input MBH | DOE Heating Cap. MBH | Net I=B=R Rating MBH | % DOE Seasonal Efficiency (AFUE) | Approx. Shipping Wt. (Lbs) | I=B=R Chimney Size | Natural Gas List Price |
|---------------|------------------|----------------------|----------------------|----------------------------------|----------------------------|--------------------|------------------------|
| CGI-25        | 50               | 42                   | 37                   | 84.0                             | 190                        | 4" I.D. x 20'      | 1789.95                |
| CGI-3         | 67               | 57                   | 50                   | 84.3                             | 190                        | 4" I.D. x 20'      | 2012.95                |
| CGI-4         | 100              | 85                   | 74                   | 84.0                             | 230                        | 5" I.D. x 20'      | 2209.94                |
| CGI-5         | 133              | 112                  | 97                   | 83.7                             | 270                        | 6" I.D. x 20'      | 2495.93                |
| CGI-6         | 167              | 140                  | 102                  | 83.3                             | 325                        | 6" I.D. x 20'      | 2821.92                |
| CGI-7         | 200              | 167                  | 145                  | 83.0                             | 370                        | 7" I.D. x 20'      | 3188.91                |
| CGI-8         | 233              | 194                  | 169                  | 82.7                             | 425                        |                    | 3493.91                |

**STANDARD EQUIPMENT**

- Factory Tested
- Lifetime Limited Warranty
- Cast Iron Sections
- Built In Air Separator
- 30 P.S.I. ASME Relief Valve
- Drain Valve
- Stainless Steel Burners
- Non-Linting Pilot Burner
- Blower Assembly
- Thermal Fuel Element
- High Limit Temperature Control
- Combination Gas Valve & Regulator
- 40 VA Transformer
- Comb Pressure -Temperature Gauge
- Wiring Harness
- Air Pressure Switch
- Integrated Control Module
- Circulator (when ordered)
- Insulated Extended Jacket
- Two Piece Top Jacket Panel
- Electrical Junction Box
- Radiation Plates
- Flue Gas Collector Assembly

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL - McLAIN  
HIGH EFFICIENCY GAS DIRECT VENT  
WATER ONLY**

**TYPE "CGS" RATINGS - ALL MODELS**

| Boiler Number | A.G.A. Input MBH | DOE Heating Cap. MBH | Net I=B=R Rating MBH | % DOE Seasonal Efficiency (AFUE) | Approx. Shipping Wt. (Lbs) | Vent Combustion Air Diameter (") | Natural Gas List Price |
|---------------|------------------|----------------------|----------------------|----------------------------------|----------------------------|----------------------------------|------------------------|
| CGS-3         | 67               | 57                   | 50                   | 85.3                             | 240                        | 3                                | 2270.94                |
| CGS-4         | 100              | 85                   | 74                   | 84.6                             | 280                        | 3                                | 2405.94                |
| CGS-5         | 133              | 112                  | 97                   | 84.0                             | 325                        | 3                                | 2650.93                |
| CGS-6         | 167              | 140                  | 102                  | 83.4                             | 370                        | 3                                | 3027.92                |

**STANDARD EQUIPMENT**

- Factory Tested
- Limited Lifetime Warraanty
- Cast Iron Sections
- Built in Separator
- 30 P.S.I. ASME Relief Valve
- Drain Valve
- Stainless Steel Burners
- Non-Linting Pilot Burner
- Blower Assembly
- Thermal Fuel Element
- High Limit Temperature Control
- Combination Gas Valve & Regulator
- 40 V Transformer
- Comb Prsr-Temp Gauge
- Wiring Harness
- Air Pressure Switch
- Integrated Control Module
- Circulator (when ordered)
- Insulated Extended Steel Jacket
- Two Piece Top Jacket Panel
- Electrical Junction Box
- Radiation Plates
- Flue Gas Collector Assembly

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL - McLAIN  
VENT DAMPERS & FILLTROL TANKS**

**VENT DAMPERS**

| SIZE | WHERE USED           | LIST PRICE |
|------|----------------------|------------|
| 5"   | CG-4, EG-30 & 35     | 265.99     |
| 6"   | CG-6, EG-40 & 45     | 271.99     |
| 7"   | CG-7 & 8, EG-50 & 55 | 271.99     |
| 8"   | EG-65 & 75, PFG-6    | 271.99     |
| 9"   | EGH-85, PFG-7 & 8    | 310.99     |
| 10"  | EGH-95 & 105         | 338.99     |
| 12"  | EGH-115 & 125        | 371.99     |

**FILLTROL PACKAGES**

| MODEL                          | LIST PRICE |
|--------------------------------|------------|
| #110GV For GV-6                | 156.00     |
| #109GV For GV-3-4-5            | 145.00     |
| #110 with Tank-Fill Valve-Vent | 154.00     |
| #109 with Tank-Fill Valve-Vent | 143.00     |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL-McLAIN  
ATMOSPHERIC GAS PACKAGED BOILERS  
WATER - STEAM**

**TYPE "EG" (SERIES 4) RATINGS - ALL MODELS**

| Boiler Number | A.G.A. Input MBH | % DOE Seasonal Efficiency (AFUE) |       |                         |      | DOE Heating Cap. MBH | Net I=B=R Rating |               |           | Approx. Shipping Weight Lbs. | I=B=R Chimney Size |
|---------------|------------------|----------------------------------|-------|-------------------------|------|----------------------|------------------|---------------|-----------|------------------------------|--------------------|
|               |                  | Interm. Ignit. w/Damper          |       | Standing Pilot w/Damper |      |                      | Steam MBH        | Steam Sq. Ft. | Water MBH |                              |                    |
|               |                  | Nat. Gas (PIDN)                  |       | Nat. Gas (SPDN)         |      |                      |                  |               |           |                              |                    |
| Water         | Steam            | Water                            | Steam |                         |      |                      |                  |               |           |                              |                    |
| EG-30         | 75               | 83.4                             | 81.6  | 80.7                    | 79.5 | 61                   | 46               | 192           | 53        | 410                          | 5" I.D. x 20'      |
| EG-35         | 100              | 82.2                             | 82.0  | 80.3                    | 79.1 | 81                   | 61               | 254           | 70        | 410                          | 5" I.D. x 20'      |
| EG-40         | 125              | 82.8                             | 81.3  | 80.8                    | 79.8 | 101                  | 76               | 317           | 88        | 500                          | 6" I.D. x 20'      |
| EG-45         | 150              | 82.2                             | 81.4  | 80.6                    | 79.2 | 122                  | 92               | 383           | 106       | 500                          | 6" I.D. x 20'      |
| EG-50         | 175              | 82.2                             | 81.1  | 81.0                    | 80.1 | 142                  | 107              | 446           | 123       | 590                          | 7" I.D. x 20'      |
| EG-55         | 200              | 82.3                             | 80.9  | 80.8                    | 79.3 | 163                  | 122              | 508           | 142       | 590                          | 7" I.D. x 20'      |
| EG-65         | 250              | 82.3                             | 80.4  | 81.0                    | 79.4 | 203                  | 152              | 633           | 177       | 680                          | 8" I.D. x 20'      |
| EG-75 PIN     | 300              | N.A.                             | N.A.  | N.A.                    | N.A. | 240                  | 180              | 750           | 209       | 755                          | 8" I.D. x 20'      |

**INTERMITTENT IGNITION WITH DAMPER-NATURAL GAS**

| BOILER NUMBER | "PIDN" LIST PRICE |         |
|---------------|-------------------|---------|
|               | WATER             | STEAM   |
| EG-30         | 2099.94           | 2336.94 |
| EG-35         | 2290.94           | 2527.93 |
| EG-40         | 2635.93           | 2872.92 |
| EG-45         | 2852.92           | 3089.92 |
| EG-50         | 3077.92           | 3314.91 |
| EG-55         | 3346.91           | 3583.90 |
| EG-65         | 3903.89           | 4140.89 |
| EG-75 PIN     | 3747.90           | 3984.89 |

**STANDING PILOT WITH DAMPER - NATURAL GAS**

| BOILER NUMBER | "SPDN" LIST PRICE |         |
|---------------|-------------------|---------|
|               | WATER             | STEAM   |
| EG-35         | 1983.95           | 2212.94 |
| EG-40         | 2328.94           | 2557.93 |
| EG-45         | 2545.93           | 2774.93 |
| EG-50         | 2770.93           | 2999.92 |
| EG-55         | 3168.91           | 3397.91 |
| EG-65         | 3532.90           | 3761.90 |
| EG-75 SPN     | 3544.90           | 3756.90 |

**STANDARD EQUIPMENT**

- Factory Assembled Block
- Limited Lifetime Warranty (Water)
- 10 Year Warranty (Steam)
- Cast Iron Sections
- Built In Separator (Water)
- 30 PSI ASME Relief Valve (Water)
- 15 PSI ASME Relief Valve (Steam)
- Stainless Steam Burners
- Non-Linting Pilot Burner
- SP - Standing Pilot Ignition
- SP - Thermocouple
- PI - Intermittent Electronic Ignition
- Automatic Vent Damper (EG30-65)
- Thermal fuse Element (EG30-65)
- Spill switch (EG30-65)
- Combination Gas Valve & Regulator
- High Limit Temp Control (Water)
- High Limit Pressure Control (Steam)
- Combination Relay & 40VA Trans (Water)
- 40VA Transformer (Steam)
- Combination T & P Gauge (Water)
- Gauge Cocks & Glass (Steam)
- Probe Low Water Cut-Off (Steam)
- Pressure Gauge (Steam)
- Syphon (Steam)
- Insulated Extended Jacket
- Electrical junction Box
- Horizontal to Vertical Draft Hood

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL McLAIN  
TRIM FOR EG BOILERS**

|  | LIST PRICE  |        |             |        |             |         |             |         |
|--|-------------|--------|-------------|--------|-------------|---------|-------------|---------|
|  | EG-30       |        | EG-35       |        | EG-40       |         | EG-45       |         |
| <b>SECTION ASSEMBLY (Water or Steam)</b> |             |        |             |        |             |         |             |         |
| w/o Tankless Opening                     | 321-811-095 | 757.98 | 321-811-095 | 757.98 | 321-811-115 | 1249.97 | 321-811-115 | 1249.97 |
| <b>BASE ASSEMBLY</b>                     | 381-800-800 | 161.00 | 381-800-801 | 351.99 | 381-800-802 | 148.00  | 381-800-803 | 364.99  |
| <b>GAS CONTROL</b>                       |             |        |             |        |             |         |             |         |
| PIDN                                     | 381-800-810 | 272.99 | 381-800-810 | 272.99 | 381-800-810 | 272.99  | 381-800-810 | 272.99  |
| SPDN                                     | 381-800-814 | 103.00 | 381-800-814 | 103.00 | 381-800-814 | 103.00  | 381-800-814 | 103.00  |
| <b>JACKET</b>                            | 411-800-100 | 171.00 | 411-800-100 | 171.00 | 411-800-120 | 221.99  | 411-800-120 | 221.99  |
| <b>DRAFT HOOD</b>                        | 451-021-255 | 50.00  | 450-021-256 | 50.00  | 450-021-257 | 50.00   | 450-021-258 | 50.00   |
| <b>TRIM</b>                              |             |        |             |        |             |         |             |         |
| Water PI (w/o Tankless)                  | 381-800-678 | 420.99 | 381-800-678 | 420.99 | 381-800-678 | 420.99  | 381-800-678 | 420.99  |
| Steam PI w/LWCO                          |             |        |             |        |             |         |             |         |
| MM PS-802                                | 381-800-693 | 657.98 | 381-800-693 | 657.98 | 381-800-693 | 657.98  | 381-800-693 | 657.98  |
| Water SP (w/o Tankless)                  | 381-800-675 | 283.99 | 381-800-675 | 283.99 | 381-800-675 | 283.99  | 381-800-675 | 283.99  |
| Steam (SP) w/LWCO                        |             |        |             |        |             |         |             |         |
| MM PS-802                                | 381-800-691 | 512.99 | 381-800-691 | 512.99 | 381-800-691 | 512.99  | 381-800-691 | 512.99  |

|  | LIST PRICE  |         |             |         |             |         |             |         |
|--|-------------|---------|-------------|---------|-------------|---------|-------------|---------|
|  | EG-50       |         | EG-55       |         | EG-65       |         | EG-75       |         |
| <b>SECTION ASSEMBLY (Water or Steam)</b> |             |         |             |         |             |         |             |         |
| w/o Tankless Opening                     | 321-811-125 | 1674.95 | 321-811-125 | 1674.95 | 321-811-135 | 1985.95 | 321-811-145 | 2161.94 |
| <b>BASE ASSEMBLY</b>                     | 381-800-804 | 135.00  | 381-800-805 | 284.99  | 381-800-806 | 389.99  | 381-800-807 | 353.99  |
| <b>GAS CONTROL</b>                       |             |         |             |         |             |         |             |         |
| PIDN                                     | 381-800-810 | 272.99  | 381-800-811 | 391.99  | 381-800-812 | 477.99  | 381-800-813 | 415.99  |
| SPDN                                     | 381-800-814 | 103.00  | 381-800-815 | 350.99  | 381-800-816 | 243.99  | 381-800-817 | 332.99  |
| <b>JACKET</b>                            | 411-800-140 | 251.99  | 411-800-140 | 251.99  | 411-800-160 | 301.99  | 411-800-180 | 330.99  |
| <b>DRAFT HOOD</b>                        | 450-021-259 | 50.00   | 450-021-260 | 50.00   | 450-021-261 | 55.00   | 450-021-262 | 64.00   |
| <b>TRIM</b>                              |             |         |             |         |             |         |             |         |
| Water PI (w/o Tankless)                  | 381-800-678 | 420.99  | 381-800-678 | 420.99  | 381-800-678 | 420.99  | 381-800-678 | 420.99  |
| Steam PI w/LWCO                          |             |         |             |         |             |         |             |         |
| MM PS-802                                | 381-800-693 | 657.98  | 381-800-693 | 657.98  | 381-800-693 | 657.98  | 381-800-693 | 657.98  |
| Water SP (w/o Tankless)                  | 381-800-675 | 283.99  | 381-800-675 | 283.99  | 381-800-675 | 283.99  | 381-800-677 | 300.99  |
| Steam (SP) w/LWCO                        |             |         |             |         |             |         |             |         |
| MM PS-802                                | 381-800-691 | 512.99  | 381-800-691 | 512.99  | 381-800-691 | 512.99  | 381-800-692 | 512.99  |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



WEIL-McLAIN
ATMOSPHERIC GAS PACKAGED BOILERS
WATER ONLY

TYPE "PFG" (SERIES 6) RATINGS - ALL MODELS

INTERMITTENT IGNITION WITH DAMPER - NATURAL GAS - AFUE 81.0%

Table with 7 columns: Boiler Number, A.G.A. Input MBH, DOE Heating Cap. MBH, Net I=B=R Rating MBH, Approx. Shipping Wt. (Lbs), I=B=R Chimney Size, PIDN Trade Price. Row 1: PFG-5-PIDN, 244, 199, 173, 550, 7" I.D. x 20', 3146.92

Available for natural gas firing only.

INTERMITTENT IGNITION NATURAL GAS - COMBUSTION EFFICIENCY 81.0%

Table with 7 columns: Boiler Number, A.G.A. Input MBH, DOE Heating Cap. MBH, Net I=B=R Rating MBH, Approx. Shipping Wt. (Lbs), I=B=R Chimney Size, PIN Trade Price. Rows: PFG-6-PIN (305, 247, 215, 605, 8" I.D. x 20', 3488.91), PFG-7-PIN (366, 296, 257, 690, 9" I.D. x 20', 4212.89), PFG-8-PIN (427, 346, 301, 760, 9" I.D. x 20', 4907.87)

May be equipped with approved automatic vent damper.

STANDING PILOT - NATURAL GAS - COMBUSTION EFFICIENCY 81.0%

Table with 7 columns: Boiler Number, A.G.A. Input MBH, DOE Heating Cap. MBH, Net I=B=R Rating MBH, Approx. Shipping Wt. (Lbs), I=B=R Chimney Size, SPN Trade Price. Rows: PFG-6-SPN (305, 247, 215, 605, 8" I.D. x 20', 3284.91), PFG-7-SPN (366, 296, 257, 690, 9" I.D. x 20', 4011.89)

Cannot be used with automatic vent damper.

STANDARD EQUIPMENT

- Factory Tested
- Limited Lifetime Warranty
- Cast Iron Sections
- Built-In Air Separator
- 30 PSI ASME Relief Valve
- Drain Valve
- Aluminized Steel Burners
- Non-Linting Pilot Burner
- Optional Vent Damper (PIN only)
- Auto. Vent Damper (PIDN-5 only)
- Thermal Fuse element (PFG-5 only)
- High Limit Temp. Control
- Comb. Gas Valve & Regulator
- SPN-Standing Pilot Ignition
- SPN - Thermocouple
- PI - Intermittent Electronic Ignition
- Comb. T&P Gauge
- Insulated Extended Jacket
- Spill Switch (PFG-5 only)
- Radiation Plates
- Vertical Draft Hood
- PFG-5 has AFU of 81%

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL-McLAIN  
HIGH EFFICIENCY GAS POWERED BOILERS  
WATER ONLY**

**TYPE "GV" (Series 3) RATINGS - ALL MODELS (UP TO 87.5% AFUE)**

| Boiler Number | A.G.A. Input MBH | DOE Heating Cap. MBH | Net I=B=R Rating MBH | % DOE Seasonal Effic. (AFUE) | Vent/ Combustion Air Diameter (In.) | Approx. Shipping Wt. (Lbs) | GV Trade Price |
|---------------|------------------|----------------------|----------------------|------------------------------|-------------------------------------|----------------------------|----------------|
| GV-3          | 70               | 61                   | 53                   | 87.5                         | 3                                   | 270                        | 3041.92        |
| GV-4          | 105              | 92                   | 80                   | 87.3                         | 3                                   | 320                        | 3368.91        |
| GV-5          | 140              | 122                  | 106                  | 87.2                         | 3                                   | 355                        | 3846.90        |
| GV-6          | 175              | 153                  | 133                  | 87.0                         | 3                                   | 410                        | 4405.88        |

**STANDARD EQUIPMENT**

- Factory Tested
- Limited Lifetime Warranty
- Cast Iron Sections
- Built In Separator
- 30 PSI ASME Relief Valve
- Drain Valve
- Stainless Steel Burner Cone
- Hot Surface Ignition
- Blower Assembly
- Gas/Air Manifold Assembly
- High Limit Temperature Control
- Negative Regulation Gas Valve
- 40 VA Transformer
- Comb. T&P Gauge
- SectionBlock Temp. Limit Switch
- Air Pressure Switch
- Gold Control Modul
- Bypass & System Circulators
- Insulated Extended Jacket
- Vent / Air Intake Sidewall Term. Kit
- Electrical Junction Box
- Condensation Drain Trap
- Natural Gas/Air Oriface Plate
- Natural to Propane Conversion Kit

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL-McLAIN  
ATMOSPHERIC GAS BOILER  
WATER - STEAM**

**TYPE "EGH" RATINGS - ALL MODELS**

| Boiler Number | A.G.A. Input MBH | A.G.A. Gross Output MBH | NET I=B=R RATINGS |               |           | Water Net Sq. Ft. | Approx. Ship Wt. (Lbs) | I=B=R Chimney Size |
|---------------|------------------|-------------------------|-------------------|---------------|-----------|-------------------|------------------------|--------------------|
|               |                  |                         | Steam MBH         | Steam Sq. Ft. | Water MBH |                   |                        |                    |
| EGH-85        | 350              | 280                     | 210               | 875           | 243       | 1620              | 870                    | 9" I.D. x 20'      |
| EGH-95        | 400              | 320                     | 240               | 1000          | 278       | 1855              | 960                    | 10" I.D. x 20'     |
| EGH-105       | 450              | 360                     | 270               | 1125          | 313       | 2085              | 1040                   | 10" I.D. x 20'     |
| EGH-115       | 500              | 400                     | 300               | 1250          | 348       | 2320              | 1135                   | 12" I.D. x 20'     |
| EGH-125       | 550              | 440                     | 330               | 1375          | 383       | 2550              | 1215                   | 12" I.D. x 20'     |

**HIGH EFFICIENCY MODEL  
NATURAL GAS**

| BOILER NUMBER | "PI" TRADE PRICE |         |
|---------------|------------------|---------|
|               | WATER            | STEAM   |
| EGH-85        | 4504.88          | 4860.87 |
| EGH-95        | 4936.87          | 5292.86 |
| EGH-105       | 5623.85          | 5979.84 |
| EGH-115       | 6005.84          | 6361.83 |
| EGH-125       | 6447.83          | 6803.82 |

**24 VOLT STANDING PILOT MODEL  
NATURAL GAS**

| BOILER NUMBER | TRADE PRICE |         |
|---------------|-------------|---------|
|               | WATER       | STEAM   |
| EGH-85        | 4286.88     | 4647.87 |
| EGH-95        | 4718.87     | 5079.86 |

**STANDARD EQUIPMENT**

- Factory Assembled Block
- Limited Lifetime Warranty (Water)
- 10 Year Warranty (Steam)
- Cast Iron Sections
- Built In Separator (Water)
- 30 PSI ASME Relief Valve (Water)
- 15 PSI ASME Relief Valve (Steam)
- Stainless Steam Burners
- Non-Linting Pilot Burner
- SP - Standing Pilot Ignition
- SP - Thermocouple
- PI - Intermittent Electronic Ignition
- Combination Gas Valve & Regulator
- High Limit Temp Control (Water)
- High Limit Pressure Control (Steam)
- Combination Relay & 40VA Trans (Water)
- 40VA Transformer (Steam)
- Combination T & P Gauge (Water)
- Gauge Cocks & Glass (Steam)
- Probe Low Water Cut-Off (Steam)
- Pressure Gauge (Steam)
- Syphon (Steam)
- Insulated Extended Jacket
- Electrical junction Box
- Horizontal to Vertical Draft Hood

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL McLAIN  
TRIM FOR EGH BOILERS**

|  | LIST PRICE  |         |             |         |             |         |
|--|-------------|---------|-------------|---------|-------------|---------|
|  | EGH-85      |         | EGH-95      |         | EGH-105     |         |
| <b>SECTION ASSEMBLY (Water or Steam)</b> |             |         |             |         |             |         |
| w/o Tankless Opening                     | 321-711-105 | 2610.93 | 321-711-115 | 2996.92 | 321-711-125 | 3543.90 |
| <b>BASE ASSEMBLY</b>                     | 381-700-500 | 384.99  | 381-700-501 | 400.99  | 381-700-502 | 443.99  |
| <b>GAS CONTROL</b>                       |             |         |             |         |             |         |
| PIN                                      | 381-700-510 | 551.99  | 381-700-510 | 551.99  | 381-700-511 | 614.98  |
| SPN                                      | 381-700-513 | 378.99  | 381-700-513 | 378.99  |             |         |
| <b>BASE PANEL</b>                        | 381-700-240 | 146.00  | 381-700-245 | 151.00  | 381-700-250 | 172.00  |
| <b>JACKET</b>                            | 411-800-260 | 357.99  | 411-800-270 | 367.99  | 411-800-280 | 382.99  |
| <b>COLLECTOR HOOD</b>                    | 450-014-750 | 42.00   | 450-014-751 | 49.00   | 450-014-752 | 49.00   |
| <b>DRAFT HOOD</b>                        | 450-206-240 | 100.00  | 450-206-241 | 108.00  | 450-206-242 | 106.00  |
| <b>TRIM</b>                              |             |         |             |         |             |         |
| Water PI (w/o Tankless)                  | 381-800-336 | 310.99  | 381-800-336 | 310.99  | 381-800-336 | 310.99  |
| Steam PI w/LWCO                          |             |         |             |         |             |         |
| MM PS-802                                | 381-800-347 | 666.98  | 381-800-347 | 666.98  | 381-800-347 | 666.98  |
| Water SP (w/o Tankless)                  | 381-800-335 | 265.99  | 381-800-335 | 265.99  | N/A         | ---     |
| Steam (SP) w/LWCO                        |             |         |             |         |             |         |
| MM PS-802                                | 381-700-346 | 626.98  | 381-700-346 | 626.98  | N/A         | ---     |

|  | LIST PRICE  |         |             |         |
|--|-------------|---------|-------------|---------|
|  | EGH-115     |         | EGH-125     |         |
| <b>SECTION ASSEMBLY (Water or Steam)</b> |             |         |             |         |
| w/o Tankless Opening                     | 321-711-135 | 3902.89 | 321-711-145 | 4304.88 |
| <b>BASE ASSEMBLY</b>                     | 381-700-503 | 427.99  | 380-700-504 | 437.99  |
| <b>GAS CONTROL</b>                       |             |         |             |         |
| PIN                                      | 381-700-511 | 614.98  | 381-700-511 | 614.98  |
| SPN                                      |             |         |             |         |
| <b>BASE PANEL</b>                        | 381-700-255 | 183.00  | 381-700-260 | 187.99  |
| <b>JACKET</b>                            | 411-800-290 | 399.99  | 411-800-300 | 417.99  |
| <b>COLLECTOR HOOD</b>                    | 450-014-753 | 54.00   | 450-014-754 | 54.00   |
| <b>DRAFT HOOD</b>                        | 450-206-243 | 112.00  | 450-206-244 | 119.00  |
| <b>TRIM</b>                              |             |         |             |         |
| Water PI (w/o Tankless)                  | 381-800-336 | 310.99  | 381-800-336 | 310.99  |
| Steam PI w/LWCO                          |             |         |             |         |
| MM PS-802                                | 381-800-347 | 666.98  | 381-800-347 | 666.98  |
| Water SP (w/o Tankless)                  | N/A         | ---     | N/A         | ---     |
| Steam (SP) w/LWCO                        |             |         |             |         |
| MM PS-802                                | N/A         | ---     | N/A         | ---     |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL-McLAIN  
ATMOSPHERIC GAS BOILER  
STEAM - WATER**

**TYPE "LGB" (SERIES 2) RATINGS - ALL MODELS \***

| Boiler Number | A.G.A. Input MBH | A.G.A. Gross Output MBH | NET I=B=R RATINGS |               |           |             | Approx. Shipping Weight | Vent Breeching Inches ID Chimney Dia. | Natural Gas Trade Price 7" W.C. |          |
|---------------|------------------|-------------------------|-------------------|---------------|-----------|-------------|-------------------------|---------------------------------------|---------------------------------|----------|
|               |                  |                         | Steam MBH         | Steam Sq. Ft. | Water MBH | Boiler H.P. |                         |                                       | Steam                           | Water    |
|               |                  |                         |                   |               |           |             |                         |                                       |                                 |          |
| LGB-4         | 400              | 324.0                   | 243               | 1013          | 282       | 9.7         | 1185                    | 10                                    | 5649.85                         | 5187.86  |
| LGB-5         | 520              | 421.2                   | 316               | 1317          | 366       | 12.6        | 1455                    | 12                                    | 6450.83                         | 5988.84  |
| LGB-6         | 650              | 526.5                   | 395               | 1646          | 458       | 15.7        | 1725                    | 12                                    | 7839.79                         | 7478.80  |
| LGB-7         | 780              | 631.8                   | 474               | 1975          | 549       | 18.9        | 2005                    | 12                                    | 8829.76                         | 8468.77  |
| LGB-8         | 910              | 737.1                   | 553               | 2304          | 641       | 22.0        | 2290                    | 14                                    | 10018.73                        | 9609.74  |
| LGB-9         | 1040             | 842.4                   | 632               | 2633          | 733       | 25.2        | 2560                    | 14                                    | 10920.71                        | 10511.72 |
| LGB-10        | 1170             | 947.7                   | 711               | 2965          | 824       | 28.3        | 2800                    | 16                                    | 11999.68                        | 11646.69 |
| LGB-11        | 1300             | 1053.0                  | 790               | 3292          | 916       | 31.5        | 3105                    | 16                                    | 12946.65                        | 12593.66 |
| LGB-12        | 1430             | 1158.3                  | 869               | 3621          | 1007      | 34.6        | 3365                    | 16                                    | 13867.63                        | 13514.64 |
| LGB-13        | 1560             | 1263.6                  | 949               | 3954          | 1099      | 37.8        | 3785                    | 16                                    | 15249.59                        | 14799.60 |
| LGB-14        | 1690             | 1368.9                  | 1035              | 4313          | 1190      | 40.9        | 4085                    | 16                                    | 16133.56                        | 15784.57 |
| LGB-15        | 1820             | 1474.2                  | 1123              | 4679          | 1282      | 44.0        | 4355                    | 16                                    | 16987.54                        | 16638.55 |
| LGB-16        | 1950             | 1579.5                  | 1211              | 5046          | 1373      | 47.2        | 4725                    | 17                                    | 17875.52                        | 17526.53 |
| LGB-17        | 2080             | 1684.8                  | 1298              | 5408          | 1465      | 50.3        | 4975                    | 17                                    | 18763.49                        | 18414.50 |
| LGB-18        | 2210             | 1790.1                  | 1386              | 5775          | 1557      | 53.5        | 5270                    | 18                                    | 20035.46                        | 19686.47 |
| LGB-19        | 2340             | 1895.4                  | 1470              | 6125          | 1648      | 56.6        | 5540                    | 18                                    | 21103.43                        | 20754.44 |
| LGB-20        | 2470             | 2000.7                  | 1553              | 6471          | 1740      | 59.8        | 5820                    | 19                                    | 21886.41                        | 21634.42 |
| LGB-21        | 2600             | 2106.0                  | 1635              | 6813          | 1831      | 62.9        | 6080                    | 19                                    | 23185.37                        | 23020.38 |
| LGB-22        | 2730             | 2211.3                  | 1717              | 7154          | 1923      | 66.1        | 6365                    | 19                                    | 24212.35                        | 24047.35 |
| LGB-23        | 2860             | 2316.6                  | 1799              | 7496          | 2014      | 69.2        | 6625                    | 20                                    | 25239.32                        | 25074.32 |

\* For special information, please call Columbia Pipe.

See page 12 for equipment specifications

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL-McLAIN  
ATMOSPHERIC GAS BOILER  
STEAM - WATER**

**TYPE "LGB" (SERIES 2) RATINGS - ALL MODELS**

**STANDARD EQUIPMENT**

**All Boilers:**

- Cast Iron Sections
- Insulated Extended Jacket
- Aluminized Steel Collector Hood(s) and Draft Hood(s)
- Boilers Tested to 80PSI Working Pressure
- Control Transformer-120/24 Volt
- Factory-Packaged Burner-Base Assembly(ies)
  - One-Piece Alumized Steel Burners; Gas Distribution
  - Manifold Aluminized Steel Base Panels; High-Temp
  - Insulation Board Panels
- Wiring Harness-Junction Box & Prewired Flex. Conduit
- Intermittent Electronic Ignition System (UCS) LGB4&5
  - Electronic Pilot Burner w/ Ignition Electrode & Flame Rod
- Flame Guardian Panel w/ Flame Rectification Electronic Control System for ea bas Assembly LGB6 thru 23

**Water Boilers:**

- Combination Operating & High Limit Temperature Control (for LGB-4 thru 20)
- Operating Temperature Control (LGB-21 thru 23 only)
- High Limit Temperature Control (LGB-21 thru 23 only)
- Combination Pressure-Temperature Gauge
- 30 PSI ASME Relief Valve -Side Outlet
- Built In air Eliminator in end Sections
- Probe Type Low-Water Cutoff, No. 901 (Packaged Only)

**Steam Boilers:**

- Operating Pressure Control
- High Limit Pressure Control
- Compound Pressure-Vacuum Gauge
- Gauge Cocks, Glass & Guards
- 15 PSI ASME Relief Valve
- Float Type Low-Water Cut-Off, # 61

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL McLAIN  
TRIM FOR LGB BOILERS**

| Description              | List    |
|--------------------------|---------|
| <b>Sections:</b>         |         |
| Left End 313-300-109     | 893.98  |
| Intermediate 313-300-110 | 635.98  |
| Right End 313-300-111    | 893.98  |
| <b>Assembly Parts:</b>   |         |
| A-4 Box 383-300-003      | 110.00  |
| A-5 Box 383-300-004      | 138.00  |
| A-A Box 383-300-005      | 162.00  |
| A-B Box 383-300-010      | 197.99  |
| A-C Box 383-300-015      | 237.99  |
| A-D Box 383-300-020      | 256.99  |
| A-E Box 383-300-025      | 287.99  |
| A-F Box 383-300-030      | 295.99  |
| A-G Box 383-300-035      | 375.99  |
| <b>Base Assemblies:</b>  |         |
| Size 4 383-300-038       | 325.99  |
| Size 5 383-300-039       | 364.99  |
| Size A 383-300-040       | 389.99  |
| Size B 383-300-045       | 625.98  |
| Size C 383-300-050       | 731.98  |
| Size D 383-300-055       | 895.98  |
| Size E 383-300-060       | 1000.97 |
| Size F 383-300-065       | 1166.97 |
| Size G 383-300-070       | 1252.97 |
| End Panel 383-300-165    | 183.00  |

| Description                   | List   |
|-------------------------------|--------|
| <b>Jackets:</b>               |        |
| Standard LGB 413-300-000      | 275.99 |
| Carton LGB-4 413-300-010      | 186.00 |
| Carton LGB-5 413-300-011      | 229.99 |
| Carton LGB-S 413-300-002      | 272.99 |
| Carton LGB-T 413-300-003      | 319.99 |
| Carton LGB-U 413-300-004      | 340.99 |
| Carton LGB-V 413-300-005      | 375.99 |
| Carton LGB-W 413-300-006      | 414.99 |
| Carton LGB-X 413-300-007      | 520.99 |
| Carton LGB-Y 413-300-008      | 520.99 |
| Splice Carton LGB 413-300-009 | 128.00 |
| <b>Collector Hoods:</b>       |        |
| 4 450-019-858                 | 112.00 |
| 5 450-019-859                 | 137.00 |
| A 450-019-851                 | 142.00 |
| B 450-019-852                 | 167.00 |
| C 450-019-853                 | 167.00 |
| D 450-019-854                 | 211.99 |
| E 450-019-855                 | 231.99 |
| F 450-019-856                 | 244.99 |
| G 450-019-857                 | 342.99 |
| <b>Draft Hoods:</b>           |        |
| 4 443-300-098                 | 79.00  |
| 5 443-300-099                 | 108.00 |
| A 443-300-100                 | 114.00 |
| B 443-300-101                 | 124.00 |
| C 443-300-102                 | 127.00 |
| D 443-300-103                 | 130.00 |
| E 443-300-104                 | 134.00 |
| F 443-300-105                 | 152.00 |
| G 443-300-106                 | 173.00 |
| <b>Control Panel</b>          |        |
| CSD-1 383-300-540             | 508.99 |

| Description                        | List    |
|------------------------------------|---------|
| <b>7" W.C. Controls</b>            |         |
| A & B 383-300-282                  | 1137.97 |
| C & D 383-300-284                  | 1472.96 |
| E, F & G 383-300-286               | 1716.95 |
| H 383-300-288                      | 2127.94 |
| I 383-300-290                      | 2179.94 |
| J 383-300-292                      | 2201.94 |
| K 383-300-294                      | 2642.93 |
| L 383-300-296                      | 2879.92 |
| <b>7" W.C. Controls - Natl Gas</b> |         |
| A & B 383-300-500                  | 961.97  |
| C & D 383-300-502                  | 1247.97 |
| E, F & G 383-300-504               | 1499.96 |
| H 383-300-506                      | 1795.95 |
| I 383-300-508                      | 1849.95 |
| J 383-300-510                      | 1881.95 |
| K 383-300-512                      | 2289.94 |
| L 383-300-514                      | 2536.93 |
| <b>5" W.C. Controls</b>            |         |
| 4 & 5 383-300-258                  | 487.99  |
| Special Control 383-300-110        | 418.99  |
| <b>Water Trim</b>                  |         |
| 4 & 5 383-300-114                  | 367.99  |
| 6 thru 9 383-300-115               | 468.99  |
| 10 thru 13 383-300-120             | 524.99  |
| 14 thru 20 383-300-125             | 625.98  |
| 21 thru 23 383-300-130             | 712.98  |
| <b>Steam Trim</b>                  |         |
| 4 thru 7 383-300-135               | 548.99  |
| 8 thru 12 383-300-140              | 596.98  |
| 13 thru 19 383-300-145             | 693.98  |
| 20 thru 23 383-300-150             | 596.98  |
| #61 LWCO 511-114-474               | 280.99  |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL-McLAIN  
ULTRA HIGH EFFICIENCY GAS BOILER**

**ULTRA RATINGS**

| Boiler Number | CSA Input Maximum MBH | CSA Input Minimum MBH | DOE Heating Cap. MBH | Net I=B=R Rating MBH | DOE AFUE | Approx. Shipping Wt. (Lbs) |
|---------------|-----------------------|-----------------------|----------------------|----------------------|----------|----------------------------|
| Ultra 80      | 80                    | 16                    | 71                   | 62 MBH               | 93.0%    | 149                        |
| Ultra 105     | 105                   | 21                    | 94                   | 81 MBH               | 92.0%    | 154                        |
| Ultra 155     | 155                   | 31                    | 139                  | 123 MBH              | 93.0%    | 193                        |
| Ultra 230     | 230                   | 46                    | 207                  | 183 MBH              | 92.8%    | 204                        |

| BOILER NUMBER | LIST PRICE |
|---------------|------------|
| Ultra 80      | 4178.89    |
| Ultra 80 LP   | 4178.89    |
| Ultra 105     | 4630.88    |
| Ultra 155     | 5194.86    |
| Ultra 230     | 5875.84    |

**ULTRA ACCESSORIES**

|                                |             |        |
|--------------------------------|-------------|--------|
| AM3 Alarm Kit                  | 383-500-080 | 96.00  |
| Wall Mounting Kit              | 383-900-180 | 49.00  |
| AM4 Multi-Boiler Interface Kit | 383-500-396 | 158.00 |
| Ultra Thru-Roof Kit 3"         | 383-500-350 | 84.00  |

**STANDARD EQUIPMENT**

- |   |  |                                    |
|---|--|------------------------------------|
| Factory Fire Tested                             | Comb T&P Gauge                             | Ultra Control Module with          |
| Limited 15 Year Heat Exchanger Warranty         | Outlet Water Temp Sensor                   | Digital Display                    |
| Ultra Homeowner Prot Plan w/ 5 Yrs Part & Labor | Return Water Temp. Sensor                  | Ignition Control                   |
| Cast Aluminum Block                             | Flue Gas Temp. Sensor                      | Operating Control                  |
| 30 PSI ASME Relief Valve                        | Outdoor Temp. Sensor                       | High Limit Protection              |
| Drain Valve                                     | Adjustable Boiler Legs                     | Low Water Protection               |
| Stainless Steel Burner (80 &105)                | Vent/Air Termination Plate                 | Outdoor Reset                      |
| w/woven steel fiber mesh (155 & 230)            | Vent Termination Bird Scree                | DHW Priority                       |
| Direct Spark Ignition                           | Line & Low Voltage (prewired term strips)) | Two Pump Controls (Htg & DHW)      |
| Variable Speed Blower Assy                      | On/Off Power Switch                        | Taco Boiler Circulators            |
| Gas/Air Ratio Venturi w/ Air Silencer           | Line voltage Svc Redeptacle                | Shipped Separately w/ flanges      |
| Negative Pressure Regulation Gas Valve          | Condensate Trap w/ Drain Tee Assy          | Complete Jacket Assembly w/        |
| 50 VA Transformer                               | Propane Conversion Orifice (105,155,230)   | Fully Removable Front Jacket Cover |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL-McLAIN  
GAS - OIL FIRED BOILERS  
STEAM - WATER**

(Less Power Burner and Mounting Plate)

**TYPE "H\_80" RATINGS - ALL MODELS**

| STEAM<br>Boiler<br>Number | WATER<br>Boiler<br>Number | I=B=R               |                     |                        | I=B=R NET RATINGS |                  |              | Boiler<br>H.P. | Vent Size<br>(Min Dia) | Approx.<br>Shipping<br>& Lifting<br>Weight | Water or<br>Steam<br>Trade<br>Price |
|---------------------------|---------------------------|---------------------|---------------------|------------------------|-------------------|------------------|--------------|----------------|------------------------|--|-------------------------------------|
|                           |                           | Oil<br>Input<br>GPH | Gas<br>Input<br>MBH | Gross<br>Output<br>MBH | Steam<br>MBH      | Steam<br>Sq. Ft. | Water<br>MBH |                |                        |  |                                     |
| H-380-S                   | H-380-W                   | 2.4                 | 346                 | 278                    | 208               | 867              | 242          | 8.3            | 6                      | 1355                                       | 3397.91                             |
| H-480-S                   | H-480-W                   | 3.4                 | 491                 | 396                    | 297               | 1238             | 344          | 11.8           | 7                      | 1615                                       | 4118.89                             |
| H-580-S                   | H-580-W                   | 4.5                 | 639                 | 515                    | 386               | 1608             | 448          | 15.4           | 8                      | 1875                                       | 4840.87                             |
| H-680-S                   | H-680-W                   | 5.5                 | 787                 | 634                    | 476               | 1983             | 551          | 18.9           | 8                      | 2130                                       | 5566.85                             |
| H-780-S                   | H-780-W                   | 6.5                 | 935                 | 753                    | 565               | 2354             | 655          | 22.5           | 9                      | 2390                                       | 6284.83                             |
| H-880-S                   | H-880-W                   | 7.5                 | 1082                | 872                    | 654               | 2725             | 758          | 26.0           | 10                     | 2650                                       | 7008.81                             |
| H-980-S                   | H-980-W                   | 8.5                 | 1230                | 991                    | 743               | 3096             | 862          | 29.6           | 10                     | 2910                                       | 7729.79                             |
| H-1080-S                  | H-1080-W                  | 9.5                 | 1378                | 110                    | 833               | 3471             | 965          | 33.2           | 10                     | 3165                                       | 8454.77                             |
| H-1180-S                  | H-1180-W                  | 10.6                | 1526                | 1229                   | 922               | 3842             | 169          | 36.7           | 10                     | 3425                                       | 9175.75                             |
| H-1280-S                  | H-1280-W                  | 11.6                | 1674                | 1348                   | 1018              | 4242             | 1172         | 40.3           | 12                     | 3680                                       | 9902.73                             |

**STANDARD EQUIPMENT**

**Field Assembled or Packaged Boilers**

- Cast Iron Sections
- Insulated Flush Jacket
- Observation Ports - Front & Back
- Steel Flue Collar with Built-in Breeching Damper
- Flue Brush
- Flame Retention Burner (except H-80 boilers)
- Burner Mounting Plate w/ Refractory (except H-80 boilers)
- Cleanout Plates
- Refractory Blanket and Target Wall in Combustion Area

**Packaged Boilers**

- Factory Water Tested
- Lifting Cables are attached to block assy
- Steel Skid on Bottom of Boiler
- Low Water Cut-Off (Water - PS-851-120; Steam - #61)

**Water Boilers:**

- 30 PSI ASME Relief Valve (boilers tested for 80 PSI working pressure)
- Combination High Limit and Low Limit Control
- Combination Pressure-Temperature-Altitude Gauge
- Built-in Air Eliminator

**Steam Boilers:**

- 15 PSI ASME Relief Valve - Side Outlet
- Low Limit and High Limit Pressure Controls
- Steam Pressure Gauge
- Gauge Cocks, Guards & Glass

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL-McLAIN  
TRIM FOR 80 BOILERS**

| Description            |             | LIST PRICE    |
|------------------------|-------------|---------------|
|                        |             | Water & Steam |
| <b>Sections:</b>       |             |               |
| Front                  | 315-700-100 | 906.98        |
| Intermediate           | 315-700-120 | 607.98        |
| Back                   | 315-700-110 | 894.98        |
| Intermediate Steam     | 315-700-150 | 607.98        |
| <b>Jackets:</b>        |             |               |
| Standard 80            | 415-800-100 | 105.00        |
| 380                    | 415-800-200 | 264.99        |
| 480                    | 415-800-210 | 281.99        |
| 580                    | 415-800-220 | 284.99        |
| 680                    | 415-800-230 | 304.99        |
| 780                    | 415-800-240 | 176.00        |
| 880                    | 415-800-250 | 182.00        |
| 980                    | 415-800-260 | 189.99        |
| 1080                   | 415-800-270 | 203.99        |
| 1180                   | 415-800-280 | 215.99        |
| 1280                   | 415-800-290 | 225.99        |
| <b>Jacket Trim:</b>    |             |               |
| 780                    | 415-800-340 | 130.00        |
| 880                    | 415-800-350 | 142.00        |
| 980                    | 415-800-360 | 151.00        |
| 1080                   | 415-800-370 | 156.00        |
| 1180                   | 415-800-380 | 160.00        |
| 1280                   | 415-800-390 | 165.00        |
| <b>Collector Hood:</b> |             |               |
| 80-A                   | 450-020-300 | 47.00         |
| 80-B                   | 450-020-301 | 49.00         |
| 80-C                   | 450-020-302 | 53.00         |
| 80-D                   | 450-020-303 | 57.00         |
| 80-E                   | 450-020-304 | 60.00         |

| Description            |             | LIST   |
|------------------------|-------------|--------|
| <b>Damper:</b>         |             |        |
| Top 3-680              | 425-800-090 | 161.00 |
| Top - 7-1180           | 425-800-091 | 176.00 |
| Top - 1280             | 425-800-092 | 182.00 |
| Rear - 3-680           | 425-800-096 | 161.00 |
| Rear - 7-1180          | 425-800-097 | 176.00 |
| Rear - 1280            | 425-800-098 | 182.00 |
| <b>Water Trim:</b>     |             |        |
| 3-480                  | 385-802-000 | 225.99 |
| 5-880                  | 385-802-100 | 238.99 |
| 9-1180                 | 385-802-200 | 238.99 |
| 1280                   | 385-802-300 | 238.99 |
| <b>Steam Trim:</b>     |             |        |
| 3-480                  | 385-802-400 | 225.99 |
| 5-680                  | 385-802-500 | 238.99 |
| 7-1080                 | 385-802-600 | 238.99 |
| 11-1280                | 385-802-700 | 238.99 |
| <b>Assembly Parts:</b> |             |        |
| Box A-1                | 385-801-000 | 288.99 |
| Box A-2                | 385-801-100 | 516.99 |
| Box B-1                | 385-801-200 | 94.00  |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL-McLAIN  
GAS - OIL FIRED BOILERS  
STEAM - WATER**

(Less Power Burner and Mounting Plate)

**TYPE "H\_88" SERIES 2 RATINGS - ALL MODELS**

| Boiler Number | I=B=R *       |               | I=B=R Gross Output MBH * | I=B=R NET RATINGS * |                 |             | Boiler H.P. | * Vent Diameter Inches | Approx. Shipping & Lifting Weight | Water or Steam Trade Price |
|---------------|---------------|---------------|--------------------------|---------------------|-----------------|-------------|-------------|------------------------|-----------------------------------|----------------------------|
|               | Oil Input GPH | Gas Input MBH |                          | Steam MBH *         | Steam Sq. Ft. * | Water MBH * |             |                        |                                   |                            |
| H488          | 7.0           | 1010          | 810                      | 608                 | 2533            | 704         | 24.2        | 10                     | 2648                              | 8419.77                    |
| H588          | 9.4           | 1357          | 1084                     | 813                 | 3388            | 943         | 32.4        | 10                     | 3210                              | 10076.73                   |
| H688          | 11.8          | 1703          | 1358                     | 1026                | 4275            | 1181        | 40.6        | 10                     | 3772                              | 11944.68                   |
| H788          | 14.2          | 2049          | 1632                     | 1254                | 5225            | 1419        | 48.8        | 12                     | 4334                              | 13751.63                   |
| H888          | 16.6          | 2396          | 1904                     | 1477                | 6154            | 1656        | 56.9        | 12                     | 4896                              | 15408.58                   |
| H988          | 18.8          | 2713          | 2176                     | 1689                | 7038            | 1892        | 65.0        | 14                     | 5458                              | 17200.54                   |
| H1088         | 21.5          | 3103          | 2452                     | 1904                | 7933            | 2132        | 73.2        | 14                     | 6020                              | 18898.49                   |
| H1188         | 23.5          | 3392          | 2724                     | 2115                | 8813            | 2369        | 81.4        | 14                     | 6582                              | 20537.45                   |
| H1288         | 26.0          | 3753          | 3000                     | 2329                | 9704            | 2609        | 89.6        | 14                     | 7144                              | 22410.39                   |
| H1388         | 28.5          | 4113          | 3270                     | 2539                | 10579           | 2843        | 97.7        | 14                     | 7709                              | 24132.35                   |
| H1488         | 31.0          | 4474          | 3550                     | 2756                | 11483           | 3087        | 106.0       | 16                     | 8268                              | 25566.31                   |
| H1588         | 33.0          | 4763          | 3820                     | 2966                | 12358           | 3322        | 114.0       | 16                     | 8830                              | 27232.26                   |
| H1688         | 35.5          | 5124          | 4090                     | 3175                | 13229           | 3557        | 122.2       | 16                     | 9392                              | 28917.22                   |
| H1788         | 38.0          | 5485          | 4370                     | 3393                | 14138           | 3800        | 130.5       | 18                     | 9954                              | 30503.18                   |
| H1888         | 40.5          | 5845          | 4640                     | 3602                | 15008           | 4035        | 138.6       | 18                     | 10516                             | 32228.13                   |

**STANDARD EQUIPMENT**

**Field Assembled**

- Cast Iron Sections
- Insulated Flush Jacket
- Flue Collar with Built-in Breeching Damper
- Observation Ports - Front & Back
- Cleanout Plates

**Water Boilers:**

- 30 PSI ASME Relief Valve (boilers tested for 80 PSI working pressure)
- Combination Manual Reset High & Low Limit Control
- Combination Pressure-Temperature-Altitude Gauge
- Nipple & 5"x6" Reducing Coupling (1288-1888 only)
- Built-in Air Eliminator

**Steam Boilers:**

- 15 PSI ASME Relief Valve - Side Outlet
- Low Limit and High Limit Pressure Controls

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL McLAIN TRIM FOR 88 BOILERS**

| Description            |             | LIST PRICE    |
|------------------------|-------------|---------------|
|                        |             | Water & Steam |
| <b>Sections:</b>       |             |               |
| Front                  | 316-301-210 | 2140.94       |
| Back                   | 316-301-211 | 2068.94       |
| Regular Water          | 316-301-212 | 1547.96       |
| Intermediate Steam     | 316-301-213 | 1547.96       |
| <b>Assembly Parts:</b> |             |               |
| Box A-1                | 386-400-005 | 435.99        |
| Box A-2                | 386-400-010 | 694.98        |
| Box A-3                | 386-400-015 | 929.97        |
| Box A-4                | 386-400-020 | 1051.97       |
| Box A-5                | 386-400-025 | 1189.97       |
| Box B-1                | 386-400-030 | 75.00         |
| Box B-2                | 386-400-035 | 134.00        |
| <b>Water Trim:</b>     |             |               |
| 488 & 588              | 386-400-046 | 289.99        |
| 688, 788 & 888         | 386-400-051 | 490.99        |
| 988, 1088 & 1188       | 386-400-056 | 529.99        |
| 1288 thru 1888         | 386-400-061 | 699.98        |
| <b>Steam Trim:</b>     |             |               |
| 488 & 588              | 386-400-150 | 289.99        |
| 688 & 788              | 386-400-151 | 490.99        |
| 888                    | 386-400-152 | 490.99        |
| 988 & 1088             | 386-400-153 | 529.99        |
| 1188                   | 386-400-154 | 529.99        |
| 1288,1388&1488         | 386-400-155 | 699.98        |
| 1588 thru 1888         | 386-400-156 | 699.98        |

| Description      |             | LIST   |
|------------------|-------------|--------|
| <b>Jackets:</b>  |             |        |
| 488 Side Carton  | 416-400-114 | 86.00  |
| 588 Side Carton  | 416-400-115 | 66.00  |
| 688 Side Carton  | 416-400-116 | 105.00 |
| 788 Side Carton  | 416-400-117 | 162.00 |
| 888 Side Carton  | 416-400-118 | 197.99 |
| 988 Side Carton  | 416-400-119 | 170.00 |
| 1088 Side Carton | 416-400-120 | 189.99 |
| 1188 Side Carton | 416-400-121 | 174.00 |
| 1288 Side Carton | 416-400-122 | 214.99 |
| 1388 Side Carton | 416-400-123 | 229.99 |
| 1488 Side Carton | 416-400-124 | 286.99 |
| 1588 Side Carton | 416-400-125 | 210.99 |
| 1688 Side Carton | 416-400-126 | 267.99 |
| 1788 Side Carton | 416-400-127 | 229.99 |
| 1888 Side Carton | 416-400-128 | 310.99 |
| Standard Jacket  | 416-400-050 | 213.99 |
| Jacket 16        | 416-400-104 | 54.00  |
| Jacket 8         | 416-400-105 | 55.00  |
| Jacket Front     | 416-400-106 | 72.00  |
| Jacket Back      | 416-400-107 | 72.00  |
| Jacket Box A     | 416-400-109 | 19.00  |
| Jacket Box C     | 416-400-112 | 11.00  |
| Jacket HXT A     | 416-400-130 | 43.00  |
| Jacket HXT B     | 416-400-131 | 21.00  |
| Jacket Insul     | 416-400-132 | 43.00  |
| Jacket Insul     | 416-400-133 | 26.00  |

**WEIL-McLAIN MULTI BOILER SYSTEMS**

| Model | Description                                      |             | List Price |
|-------|--|-------------|------------|
| BCP-3 | Control Panel w/ Sensors for up to 3 H2O Boilers | 389-900-170 | 3903.89    |
| BCP-6 | Control Panel less Sensors                       | 389-900-173 | 3146.92    |
| BCP-6 | Temperature Sensor w/ 1/2" well for HW Boilers   | 389-900-175 | 283.99     |
| BCP-6 | Outdoor Air Temperature Sensor with Mtg Clip     | 389-900-177 | 512.99     |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL-McLAIN INDIRECT - FIRED WATER HEATERS**

**GOLD & ULTRA PLUS MODELS**

| Water Heater Model #  | First Hour Flow Ratings (gal) |       | Approx Ship Weight | List Price |
|-----------------------|-------------------------------|-------|--------------------|------------|
|                       | 115 F                         | 140 F |                    |            |
| GOLD Plus 30          | 230                           | 140   | 135                | 2685.93    |
| GOLD Plus 40          | 270                           | 170   | 155                | 1252.97    |
| GOLD Plus 60          | 370                           | 200   | 180                | 1528.96    |
| GOLD Plus 80          | 636                           | 370   | 200                | 1745.95    |
| GOLD Plus 100         | 740                           | 510   | 370                | 2685.93    |
| GOLD Plus 119         | 970                           | 650   | 450                | 3444.91    |
| ULTRA Plus 40         | 270                           | 170   | 155                | 1252.97    |
| ULTRA Plus 60         | 370                           | 200   | 180                | 1528.96    |
| ULTRA Plus 80         | 636                           | 370   | 200                | 1745.95    |
| Zoning Circulator Kit |                               |       |                    | 305.99     |

**STAINLESS STEEL VENTING**

**SAF-T VENT**

| DESCRIPTION                        | LIST   | DESCRIPTION                 | LIST  |
|------------------------------------|--------|-----------------------------|-------|
| 3" X 6" Vent Pipe                  | 29.57  | 3" CBI/CGS Vent Adapter     | 40.93 |
| 3" X 12" Vent Pipe                 | 35.61  | 3" GV Ser 3&4 Start Tee     | 95.47 |
| 3" X 18" Vent Pipe                 | 50.04  | 3" Ametek Venter Adaptor    | 46.18 |
| 3" X 24" Vent Pipe                 | 61.33  | 3" 45 Deg Vent Elbow        | 76.62 |
| 3" X 37.5" Vent Pipe               | 80.33  | 3" 90 Deg Vent Elbow        | 91.76 |
| 3" X 48" Vent Pipe                 | 123.58 | 3" Hor/Vert Inline Drain    | 67.45 |
| 3" X 60" Vent Pipe                 | 141.74 | 3" x 6-19" 2 pc Adj Pipe    | 61.33 |
| 3" Term Screen & Inside Wall Penet | 289.58 | 3" Screened Termination Tee | 91.76 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL-McLAIN  
THERMA TRIM HYDRONIC BASEBOARD**

| Unit Length  | MODEL TT COMPLETE UNITS WITH ELEMENT (3/4") |                           |   | BASEBOARD WITHOUT HEATING ELEMENT |                           |   | 3/4" HEATING ELEMENT |                           |             |
|--|---|---------------------------|---|-----------------------------------|---------------------------|---|----------------------|---------------------------|-------------|
|  | Catalog Number                              | Approx. Shipping Wt. Lbs. | Trade Price   | Catalog Number                    | Approx. Shipping Wt. Lbs. | Trade Price   | Catalog Number       | Approx. Shipping Wt. Lbs. | Trade Price |
| 2 ft.  | TT 2  | 5                         | 25.72   | TT 2                              | 4                         | 15.88   | 2'                   | 1                         | 12.70       |
| 3 ft.  | TT 3  | 8                         | 38.58   | TT 3                              | 6                         | 23.82   | 3'                   | 2                         | 25.40       |
| 4 ft.  | TT 4  | 10                        | 51.44   | TT 4                              | 8                         | 31.76   | 4'                   | 2                         | 25.40       |
| 5 ft.  | TT 5  | 12                        | 64.30   | TT 5                              | 10                        | 39.70   | 5'                   | 3                         | 31.75       |
| 6 ft.  | TT 6  | 14                        | 77.16   | TT 6                              | 12                        | 47.64   | 6'                   | 3                         | 38.10       |
| 7 ft.  | TT 7  | 17                        | 90.02   | TT 7                              | 14                        | 55.58   | 7'                   | 4                         | 44.45       |
| 8 ft.  | TT 8  | 19                        | 102.88  | TT 8                              | 15                        | 63.52   | 8'                   | 4                         | 50.80       |
| Package contains front & rear panels, brackets, damper, damper holder, element & glides assembled. |   |                           | Package contains front & rear panels, brackets, damper and damper holder assembled. |                                   |                           | Package contains element and glides.<br><br>Sold in Multiples of Four |                      |                           |             |
| NOTE: Above prices reflect a price per linear ft. of: 12.83  |   |                           | NOTE: Above prices reflect a price per linear ft. of: 7.94                          |                                   |                           | NOTE: Above prices reflect a price per linear ft. of: 6.35            |                      |                           |             |

**ADDITIONAL EQUIPMENT**

| Catalog Number | Description                | Trade Price | Catalog Number | Description                | Trade Price |
|----------------|----------------------------|-------------|----------------|----------------------------|-------------|
| 611-411-190    | 90 Deg Inside Corner       | 9.59        | 611-411-170    | 7" Filler Sleeve           | 12.62       |
| 611-411-195    | 90 Deg Outside Corner      | 20.58       | 611-411-175    | 14" Filler Sleeve          | 15.44       |
| 611-411-205    | 135 Deg Inside Bay Corner  | 10.85       | 611-411-185    | 2" Splice Plate            | 5.44        |
| 611-411-210    | 135 Deg Outside Bay Corner | 21.60       | 611-411-220    | Plastic Expansion Cradle   | 2.62        |
| 611-411-323    | Return Bend Fitting        | 9.03        | 611-411-225    | Support Bracket W/ Pivot   | 5.95        |
| 611-410-801    | Floor Grommet              | 2.09        | 611-410-630    | Flex Riser Connect W/ Cplg | 29.83       |
| 611-411-145    | 4" End Dap LH; W/ Hinge    | 25.24       | 611-410-640    | Flex Riser Connect W/ Cplg | 29.83       |
| 611-411-150    | 4" End Cap RH; W/ Hinge    | 25.24       | 611-410-803    | Flex Corner Connector      | 21.50       |
| 611-411-155    | 2" End Cap LH; No Hinge    | 14.01       | 611-420-670    | Flex Riser Connector 1"    | 39.88       |
| 611-411-160    | 3" End Cap RH; No Hinge    | 14.01       | 592-000-002    | Nu White Touch Up Paint    | 11.00       |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**WEIL-McLAIN  
NO. 9 SNUG CAST IRON BASEBOARD PANELS**

| Panel Lengths             | Left Sub Asm Lengths | Center Sub Asm Lengths | Right Sub Asm Lengths | Trade Price |
|---------------------------|----------------------|------------------------|-----------------------|-------------|
| All Lengths Shown in Feet |                      |                        |                       |             |
| * 1                       | Comp PI              |                        |                       | 49.55       |
| * 1-1/2                   | Comp PI              |                        |                       | 74.30       |
| *2                        | Comp PI              |                        |                       | 99.08       |
| 2-1/2                     | 1-1/2                |                        | 1                     | 123.85      |
| * 3                       | 2                    |                        | 1                     | 148.62      |
| * 3-1/2                   | 1-1/2                |                        | 2                     | 173.39      |
| * 4                       | 2                    |                        | 2                     | 198.12      |
| * 4-1/2                   | 1-1/2                | 2                      | 1                     | 222.91      |
| * 5                       | 2                    | 2                      | 1                     | 247.67      |
| * 5-1/2                   | 1-1/2                | 2                      | 2                     | 272.46      |
| * 6                       | 2                    | 2                      | 2                     | 297.21      |
| 6-1/2                     | 5-1/2                |                        | 1                     | 322.00      |
| 7                         | 6                    |                        | 1                     | 346.76      |
| 7-1/2                     | 5-1/2                |                        | 2                     | 371.54      |
| 8                         | 6                    |                        | 2                     | 396.29      |
| 8-1/2                     | 5-1/2                |                        | 3                     | 421.08      |
| 9                         | 6                    |                        | 3                     | 445.84      |
| 9-1/2                     | 5-1/2                |                        | 4                     | 470.58      |
| 10                        | 6                    |                        | 4                     | 495.34      |
| 10-1/2                    | 5-1/2                |                        | 5                     | 520.13      |
| 11                        | 6                    |                        | 5                     | 544.88      |
| 11-1/2                    | 5-1/2                |                        | 6                     | 569.67      |
| 12                        | 6                    |                        | 6                     | 594.43      |

| Panel Lengths             | Left Sub Asm Lengths | Center Sub Asm Lengths | Right Sub Asm Lengths | Trade Price |
|---------------------------|----------------------|------------------------|-----------------------|-------------|
| All Lengths Shown in Feet |                      |                        |                       |             |
| 12-1/2                    | 5-1/2                | 6                      | 1                     | 619.22      |
| 13                        | 6                    | 6                      | 1                     | 643.97      |
| 13-1/2                    | 5-1/2                | 6                      | 2                     | 668.75      |
| 14                        | 6                    | 6                      | 2                     | 693.50      |
| 14-1/2                    | 5-1/2                | 6                      | 3                     | 718.29      |
| 15                        | 6                    | 6                      | 3                     | 743.05      |
| 15-1/2                    | 5-1/2                | 6                      | 4                     | 767.79      |
| 16                        | 6                    | 6                      | 4                     | 792.55      |
| 16-1/2                    | 5-1/2                | 6                      | 5                     | 817.34      |
| 17                        | 6                    | 6                      | 5                     | 842.09      |
| 17-1/2                    | 5-1/2                | 6                      | 6                     | 866.88      |
| 18                        | 6                    | 6                      | 6                     | 891.64      |
| 18-1/2                    | 5-1/2                | 2-6                    | 1                     | 916.43      |
| 19                        | 6                    | 2-6                    | 1                     | 941.18      |
| 19-1/2                    | 5-1/2                | 2-6                    | 2                     | 965.96      |
| 20                        | 6                    | 2-6                    | 2                     | 990.72      |
| 20-1/2                    | 5-1/2                | 2-6                    | 3                     | 1015.51     |
| 21                        | 6                    | 2-6                    | 3                     | 1040.26     |
| 21-1/2                    | 5-1/2                | 2-6                    | 4                     | 1065.01     |
| 22                        | 6                    | 2-6                    | 4                     | 1089.76     |
| 22-1/2                    | 5-1/2                | 2-6                    | 5                     | 1114.55     |
| 23-1/2                    | 5-1/2                | 2-6                    | 6                     | 1164.10     |
| 24                        | 6                    | 2-6                    | 6                     | 1188.85     |

\* Complete Panels Shipped Assembled.

Note: Above prices include air seal, holding clips, center supports, air vent plug, coin air vent valves, plugs and wall clips.  
They reflect a price per linear ft. of: 49.55

Note: Snug Baseboard shipping weight - 14 lbs. per linear foot.

**SNUG BASEBOARD ADDITIONAL EQUIPMENT**

| DESCRIPTION           | LIST  | DESCRIPTION          | LIST   | DESCRIPTION           | LIST  |
|-----------------------|-------|----------------------|--------|-----------------------|-------|
| Valve Enclosure       | 17.06 | 3'0" Metal Extension | 31.74  | Accy Pkg 1 to 6 ft    | 7.71  |
| 5-1/2 Plain Enclosure | 7.83  | 6'0" Metal Extension | 85.55  | Accy Pkg 6-1/2 - 12FT | 12.80 |
| 10" Plain Enclosure   | 9.18  | LH Transition Piece  | 5.21   | Accy Pkg 12-1/2- 18FT | 19.22 |
| Left End Cover        | 7.50  | RH Transition Piece  | 5.21   | Accy Pkg 18-1/2- 24FT | 25.64 |
| Right End Cover       | 7.50  | Splice Piece         | 5.78   |                       |       |
| 4" Inside Corner      | 12.36 | Baseboard Clamp      | 151.10 |                       |       |
| 10" Inside Corner     | 21.96 | 4" Angle Connector   | 34.15  |                       |       |
| Outside Corner        | 17.66 | 10" Angle Connector  | 41.38  |                       |       |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**SLANT FIN COMMERCIAL BASEBOARD**

| ELEMENT TYPE | TUBE SIZE & MATERIAL | FIN SIZE & MATERIAL                | FINS PER FOOT | SHIP WT LB / FT | LIST PER FT |
|--------------|----------------------|------------------------------------|---------------|-----------------|-------------|
| S-532        | 1-1/4" IPS Steel     | 4-1/4x4-1/4x.024" Elec. Gal. Steel | 32            | 6               | 70.26       |
| C-540        | 1-1/4" Copper        | 4-1/4x4-1/4x.020" Aluminum         | 40            | 2.25            | 82.89       |

**#90 BASEBOARD COMPLETE FIN-TUBE ENCLOSURE PACKAGE**

|   |          |                   |                     |
|---|----------|-------------------|---------------------|
| 1 #90 Nu White Enclosure  |          |                   |                     |
| Complete Enclosure Assembly*. Knocked down, 18 ga. top cover. Incls. wall brackets & "SC" Hangers | Model #  | Weight Lbs Per Ft | List Price Per Foot |
|   | #185-100 | 4.0               | 18.78               |

- \* 3' thru 5' lengths have 2 wall brackets & 2 unassembled "SC" hangers.  
6' through 8' lengths have 3 wall brackets and 3 unassembled "SC" hangers.
- 1 All items shell white baked enamel except back panels, brackets, dampers & SC hangers which are electro galvanized

**ACCESSORIES:**

| DESCRIPTION                    | LIST EA | DESCRIPTION                  | LIST EA |
|--------------------------------|---------|------------------------------|---------|
| RH End Cap 3 (#185-101)        | 22.24   | Outside Corner (#185-108)    | 36.57   |
| LH End Cap 3 (#185-101)        | 22.24   | RH Valve Cover 10 (#185-109) | 41.65   |
| Splice Plate 3 (#185-195)      | 6.59    | LH Valve Cover 10 (#185-109) | 41.65   |
| Filler Sleeve 7-1/2 (#185-106) | 12.20   | SC Hanger (#107-220-000)     | 4.06    |
| Inside Corner (#185-107)       | 37.85   | M-1 Hanger (#108-173-000)    | 7.75    |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**CAST IRON RADIATION**

| <b>SLENDERIZED</b> |                |                         |          |          |
|--------------------|----------------|-------------------------|----------|----------|
| # of Sections      | Section Length | Square Foot per Section |          |          |
|                    |                | 19" High                | 25" High | 25" High |
| 4                  | 7"             | 6.4                     | 8.0      | 12.0     |
| 6                  | 10-1/2"        | 9.6                     | 12.0     | 18.0     |
| 8                  | 14"            | 12.8                    | 16.0     | 24.0     |
| 10                 | 17-1/2"        | 16.0                    | 20.0     | 30.0     |
| 12                 | 21"            | 19.2                    | 24.0     | 36.0     |
| 14                 | 24-1/2"        | 22.4                    | 28.0     | 42.0     |
| 16                 | 28"            | 25.6                    | 32.0     | 48.0     |
| 18                 | 31-1/2"        | 28.8                    | 36.0     | 54.0     |
| 20                 | 35"            | 32.0                    | 40.0     | 60.0     |
| 22                 | 38-1/2"        | 35.2                    | 44.0     | 66.0     |
| 24                 | 42"            | 38.4                    | 48.0     | 72.0     |
| 26                 | 45-1/2"        | 41.6                    | 52.0     | 78.0     |
| 28                 | 49"            | 44.8                    | 46.0     | 84.0     |
| 30                 | 52-1/2"        | 48.0                    | 60.0     | 90.0     |
| 32                 | 56"            | 51.2                    | 64.0     | 96.0     |
| 34                 | 59-1/2"        | 54.4                    | 68.0     | 102.0    |
| 36                 | 63"            | 57.6                    | 72.0     | 108.0    |
| 38                 | 66-1/2"        | 60.8                    | 76.0     | 114.0    |
| 40                 | 70"            | 64.0                    | 80.0     | 120.0    |
| 42                 | 73-1/2"        | 67.2                    | 84.0     | 126.0    |
| 44                 | 77"            | 70.4                    | 88.0     | 132.0    |

  

| Width  | Height | Rating Sq Ft Per Section | Ship Wt. Per Sq Ft | Net Price Per Section |
|--------|--------|--------------------------|--------------------|-----------------------|
| 4 Tube | 19"    | 1.6                      | 4.5 / lb.          | 39.56                 |
| 4 Tube | 25"    | 2.0                      | 4.6 / lb.          | 43.86                 |
| 6 Tube | 25"    | 3.0                      | 5.2 / lb.          | 63.64                 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**MODINE UNIT HEATERS  
WATER / STEAM**

| <b>HORIZONTAL UNIT HEATER</b>                    |                                 |                 |                         |
|--|---------------------------------|-----------------|-------------------------|
| 115 V/60 HZ/1 Phase; Cap. at Standard Conditions |                                 |                 |                         |
| Model Number                                     | 2 PSIG Steam & 60F Ent/Air BTUH | Approx Ship Wt. | TEFC w/Thermal Overload |
| HSB-18-01  | 18,000                          | 18              | 510.00                  |
| HSB-24-01  | 24,000                          | 21              | 574.00                  |
| HSB-33-01  | 33,000                          | 36              | 660.00                  |
| HSB-47-01  | 47,000                          | 45              | 772.00                  |
| HSB-63-01  | 63,000                          | 58              | 845.00                  |
| HSB-86-01  | 86,000                          | 55              | 916.00                  |
| HSB-108-01                                       | 108,000                         | 80              | 1124.00                 |
| HSB-121-01                                       | 121,000                         | 83              | 1217.00                 |
| HSB-165-01                                       | 165,000                         | 105             | 1498.00                 |
| HSB-193-01                                       | 193,000                         | 109             | 1700.00                 |
| HSB-258-01                                       | 258,000                         | 173             | 2093.00                 |
| HSB-340-01                                       | 340,000                         | 202             | 2915.00                 |

| <b>VERTICAL UNIT HEATER</b>                      |                                 |                 |                         |
|--|---------------------------------|-----------------|-------------------------|
| 115 V/60 HZ/1 Phase; Cap. at Standard Conditions |                                 |                 |                         |
| Model Number                                     | 2 PSIG Steam & 60F Ent/Air BTUH | Approx Ship Wt. | TEFC w/Thermal Overload |
| V-59-01  | 59,000                          | 48              | 790.00                  |
| V-95-01  | 95,000                          | 55              | 1009.00                 |
| V-139-01   | 139,000                         | 78              | 1190.00                 |
| V-161-01   | 161,000                         | 91              | 1262.00                 |
| V-193-01   | 193,000                         | 100             | 1463.00                 |
| V-212-01   | 212,000                         | 115             | 1805.00                 |
| V-279-01   | 279,000                         | 129             | 2273.00                 |
| V-333-01   | 333,000                         | 182             | 2475.00                 |

**HIGH EFFICIENCY GAS FIRED UNITS**

| 115 Volt / 60 HZ / 1 Phase<br>Power Exhausted with Aluminized Steel<br>Heat Exchanger, Intermittent Pilot |         |            |
|---|---------|------------|
| Model Number  | Ship Wt | List Price |
| PDP150AE-01   | 174     | 1353.00    |
| PDP175AE-01   | 238     | 1462.00    |
| PDP200AE-01   | 238     | 1548.00    |
| PDP250AE-01   | 268     | 1935.00    |
| PDP300AE-01   | 366     | 2140.00    |
| PDP400AE-01   | 442     | 2549.00    |

| 115 Volt / 60 HZ / 1 Phase<br>Gas-Fired, Low Profile Unit Heaters<br>Model Number |    |         |            |
|---|----|---------|------------|
| Model Number  |    | Ship Wt | List Price |
| HD30AS0111  |    | 55      | 820.00     |
| HD45AS0111  |    | 60      | 850.00     |
| HD60AS0111  |    | 80      | 973.00     |
| HD75AS0111  |    | 85      | 1004.00    |
| HD100AS0111   |    | 125     | 1163.00    |
| HD125AS0111   |    | 125     | 1257.00    |
| HD30AS0121  | LP | 55      | 820.00     |
| HD45AS0121  | LP | 60      | 850.00     |
| HD60AS0121  | LP | 80      | 973.00     |
| HD75AS0121  | LP | 85      | 1004.00    |
| HD100AS0121   | LP | 125     | 1163.00    |
| HD125AS0121   | LP | 126     | 1257.00    |

| LP KITS | Ship Wt. | List Price |
|---------|----------|------------|
| 31668   | 0.5      | 44.42      |
| 53079   | 0.5      | 44.42      |
| 53080   | 0.5      | 49.09      |
| 53081   | 0.5      | 49.09      |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



# COLUMBIA PIPE & SUPPLY CO.

130-25

## WATTS RADIANT

| DESCRIPTION                                 | LIST    |
|---|---------|
| 3/8" x 600' RadiantPex+ Barrier Pex Tubing  | 450.01  |
| 1/2" x 300' RadiantPex+ Barrier Pex Tubing  | 276.01  |
| 1/2" x 1000' RadiantPex+ Barrier Pex Tubing | 920.03  |
| 3/4" x 600' RadiantPex+ Barrier Pex Tubing  | 798.03  |
| 5/8" x 600' RadiantPex+ Barrier Pex Tubing  | 690.02  |
| 1" x 100' RadiantPex+ Barrier Pex Tubing    | 223.01  |
| 1" x 600' RadiantPex+ Barrier Pex Tubing    | 1338.04 |

| DESCRIPTION                     | LIST    |
|---------------------------------|---------|
| 3/8" x 160' Onix Radiant Tubing | 334.00  |
| 3/8" x 200' Onix Radiant Tubing | 418.00  |
| 5/8" x 400' Onix Radiant Tubing |         |
| 5/8" x 600' Onix Radiant Tubing | 1998.02 |

## ACCESSORIES

| DESCRIPTION                                   | LIST   | DESCRIPTION                                   | LIST    |
|---|--------|---|---------|
| 1/2" Ftg x 1/2" Barb Copper Adapter           | 1.34   | Dumser SS Manifold Assy Kit                   | 163.40  |
| 1/2" Ftg x 3/8" Barb Copper Adapter           | 1.71   | Dumser SS Manifold Add-A-Zone                 | 177.30  |
| 1" & 1-1/4" Universal Manifold Mtg Brkt       | 42.50  | Dumser 1"SS 2 - Loop Flowmeter                | 219.20  |
| 1" x 1/2" 2-Loop Valved Crimp Ring Manifold   | 140.00 | Dumser 1"SS 3 - Loop Flowmeter                | 278.10  |
| 1" x 1/2" 3-Loop Valved Crimp Ring Manifold   | 210.00 | Dumser 1"SS 4 - Loop Flowmeter                | 336.30  |
| 1" x 1/2" 4-Loop Valved Crimp Ring Manifold   | 280.00 | Dumser 1"SS 5 - Loop Flowmeter                | 412.80  |
| 1"C Manifold End Assy w/ Drain Vlv & Key Vent | 43.40  | Dumser 1"SS 6 - Loop Flowmeter                | 472.11  |
| 1/2" Barb x Barb Cplg (Reqs 2 cinch clamps)   | 1.08   | Dumser 1"SS 7 - Loop Flowmeter                | 526.01  |
| 3/8" Barb x Barb Cplg (Reqs 2 cinch clamps)   | 1.27   | Dumser 1"SS 8 - Loop Flowmeter                | 582.11  |
| 5/8" Barb x Barb Cplg (Reqs 2 cinch clamps)   | 1.54   | Dumser 1"SS 9 - Loop Flowmeter                | 643.11  |
| Onix Squeeze Tite Pliers for Self Tite Clamps | 47.70  | Dumser Circuit Isolation Cap                  | 11.40   |
| Onix 3/8" Onix x 1/2" Barb Copper Adapter     | 3.21   | Dumser 1/2" SS-T20F Pex Compr Ftg             | 9.23    |
| Onix 3/8" Self Tite Clamp                     | 1.24   | Radiant 1/2 Pex Staple Gun                    | 1034.81 |
| Onix 5/8" Self-Tite Clamp                     | 1.86   | Radiant Staples for 1/2 Pex & 3/8, 1/2 Onix   | 36.20   |
| Onix 5/8" Coupling - Req                      | 3.95   | Radiant Pex Unwinder                          | 601.01  |
| Onix 3/8" Coupling - Req                      | 2.17   | Dumser 3/4" SS-T20F Pex Compr Ftg             | 13.41   |
| 1/2 & 3/8 Plastic 90 Terminal Bend Support    | 1.98   | Dumser 3/8" SS-T20F Pex Compr Ftg             | 9.72    |
| 3/4 & 5/8 Plastic 90 Terminal Bend Support    | 2.92   | Dumser 5/8" SS-T20F Pex Compr Ftg             | 10.43   |
| 3/8" Cinch-Clamp                              | 0.56   | Radiant Dual Temp Thermostat - Digital        | 87.40   |
| 1/2" Cinch-Clamp                              | 0.56   | Radiant Floor Sensor for Dual Temp T'stat     | 16.00   |
| 5/8" Cinch-Clamp                              | 0.84   | Radiant Dual Temp Thermostat                  | 61.40   |
| 3/4" Cinch-Clamp                              | 0.78   | Radiant 1/2" CFTGx T20 Adapter                | 7.16    |
| Cinch Tool for All Pex Cinch Clamp Sizes      | 220.50 | Radiant 3/4" CFTGx T20 Adapter                | 7.32    |
| 1" x3/8" Onix 2-Loop Valved Barb Manifold     | 140.00 | 3/8" Onix x 3/4" BSP Swivel Fitting           | 8.66    |
| 1" x3/8" Onix 3-Loop Valved Barb Manifold     | 210.00 | 5" x 24" Stamped Alum Pex Plate (100/box)     | 3.95    |
| 1" x3/8" Onix 4-Loop Valved Barb Manifold     | 280.00 | 1" Manifold Pressure Test Kit SS 81001996     | 143.90  |
| 3/4" Barb x Barb Cplg (Reqs 2-Cinch Clamps)   | 334.00 | 1/2x3/4 SS-T20 Pex Swl Crimp Adapter 81005162 | 9.32    |
| Dumser 1" SS Manifold Vent & Purge End Assy   | 1.30   |   |         |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**LOCHINVAR BOILERS  
RESIDENTIAL**

| <b>SOLUTION COPPER HW BOILERS</b> |   |         |
|-----------------------------------|---|---------|
| CBN045-M9                         | 45MBH 2 Stage Spark Ignition w/ Damper  | 2294.84 |
| CBN180-M9                         | 180MBH 2 Stage Spark Ignition w/ Damper | 3068.46 |
| EBN100                            | 100MBH 2 Stage                          | 3286.89 |

**COMMERCIAL**

| <b>COPPER-FIN HW BOILER</b> |                                      |          |
|-----------------------------|--------------------------------------|----------|
| CBN1256                     | 81% Efficient, 1255 MBH, Natural Gas | 11879.01 |
| CHN0651                     | 84% Efficient, 651 MBH Natural Gas   | 12076.73 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**BUDERUS  
RESIDENTIAL SEALED COMBUSTION GAS-FIRED BOILERS**

| MODEL    | IGNITION     | AFUE EFF | INPUT<br>BTU/H | DOE HTG<br>CAP BTU/H | IBR<br>BTU/H | SHIP<br>WT | LIST    |
|----------|--------------|----------|----------------|----------------------|--------------|------------|---------|
| GA124/17 | Intermittent | 85.2     | 70,000         | 59,000               | 51,000       | 225        | 2402.94 |
| GA124/23 | Intermittent | 85.1     | 94,000         | 79,000               | 69,000       | 280        | 2550.93 |
| GA124/30 | Intermittent | 85.0     | 123,000        | 104,000              | 90,000       | 335        | 2700.93 |
| GA244/37 | Intermittent | 85.0     | 156,000        | 128,000              | 111,000      | 634        | 3021.93 |
| GA244/44 | Intermittent | 85.0     | 182,000        | 148,000              | 129,000      | 635        | 3339.93 |
| GA244/53 | Intermittent | 84.8     | 220,000        | 181,000              | 157,000      | 712        | 3818.92 |
| GA244/62 | Intermittent | 84.6     | 262,000        | 212,000              | 184,000      | 834        | 4264.91 |

Features low temperature operation and special GA-180M cast iron, low emissions with premixed burner tech, and reduced footprint for tight spaces. Standard equipment includes SS burners, factory assembled and wired boiler, all Honeywell controls, slow opening gas valve & 3" insulated jacket. Concentric termination body is included for horizontal sealed combustion for direct vent application. Boilers are set for natural gas-sea level and are AGA/CGA certified. Circulator is NOW included.

**BUDERUS GAS FIRED BOILERS**

| MODEL     | VENT SIZE             | AFUE<br>EFF | INPUT<br>BTU/H | DOE HTG<br>CAP BTU/H | IBR<br>BTU/H | SHIP<br>WT | LIST    |
|-----------|-----------------------|-------------|----------------|----------------------|--------------|------------|---------|
| G234X/38  | 7" Vent - Damper Incl | 84.3        | 160,000        | 130,000              | 113,000      | 487        | 2640.94 |
| G234X/45  | 7" Vent - Damper Incl | 84.1        | 187,000        | 154,000              | 134,000      | 487        | 2930.94 |
| G234X/55  | 7" Vent - Damper Incl | 84.8        | 188,000        | 188,000              | 163,000      | 562        | 3168.93 |
| G234X/64  | 8" Vent - Damper Incl | 84.3        | 219,000        | 219,000              | 190,000      | 684        | 3534.92 |
| G334X/73  | 8" Vent - Damper Opt  | N/A         | 301,000        | 249,000              | 217,000      | 758        | 4391.90 |
| G334X/92  | 9" Vent - Damper Opt  | N/A         | 378,000        | 314,000              | 273,000      | 930        | 4970.89 |
| G334X/116 | 10" Vent - Damper Opt | N/A         | 476,000        | 396,000              | 344,000      | 1,093      | 5546.88 |
| G334X/132 | 10" Vent - Damper Opt | N/A         | 542,000        | 451,000              | 392,000      | 1,265      | 6165.86 |

Features low temperature operation and unrestricted return temperature with optional Logamatic Control, low emissions with premixed burner tech. Vent damper for 38 to 64 included. Standard equipment includes ss burners, factory assembled and wired boiler, all Honeywell controls, slow opening gas valve, tridicator, and 3" insulated jacket. Boiler sections tested to 58 PSI working pressure; non-combustible base. Boilers are set for natural gas-sea level and are AGA/CGA certified. Circulator is NOT included.

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**BUDERUS  
RESIDENTIAL GAS-FIRED BOILERS**

| MODEL     | IGNITION     | AFUE EFF | INPUT BTU/H | DOE HTG CAP BTU/H | IBR BTU/H | SHIP WT | LIST    |
|-----------|--------------|----------|-------------|-------------------|-----------|---------|---------|
| GC124/3II | Intermittent | 84.0     | 74,000      | 62,000            | 53,000    | 228     | 1871.95 |
| GC124/4II | Intermittent |          | 103,000     |                   |           |         | 2041.94 |
| GC124/5II | Intermittent | 84.0     | 132,000     | 112,000           | 96,000    | 350     | 2301.94 |

**WALL HUNG CONDENSING GAS BOILERS**

| MODEL   | INPUT BTUH | OUTPUT BTUH    |                | RATED EFFICIENCY | SHIP WT | LIST    |
|---|------------|----------------|----------------|------------------|---------|---------|
|   |            | 176 / 140F     | 122/86 F       |                  |         |         |
| GB142/24  | 84,800     | 22,700-75,200  | 25,300-83,000  | 98%              | 110     | 4068.89 |
| GB142/30  | 106,000    | 28,100-91,500  | 30,700-102,400 | 97%              | 110     | 4652.87 |
| GB142/45  | 160,900    | 42,500-142,000 | 47,200-158,000 | 98%              | 143     | 5291.86 |
| GB142/60  | 214,800    | 56,800-198,800 | 63,200-211,600 | 99%              | 158     | 5759.84 |
| CM-10 2-BLR Staging Control for 2-gb's-7746900845         |            |                |                |                  |         | 246.99  |
| 3" Horizontal/Vertical Concentric Vent Kit for CB Boilers |            |                |                |                  |         | 100.00  |

Designed with a state-of-the-art aluminum heat exchanger & integrated controls. The included prefabricated manifold is specially designed with an appropriately sized 3-speed circulator. Includes the RC10 room comfort controller and DHW sensor for control of an indirect DHW tank.

**DOMESTIC HOT WATER TANKS**

| MODEL                       | DESIGN   | CAPACITY    | CONTINUOUS RATING      | LIST    |
|-----------------------------|----------|-------------|------------------------|---------|
| ST-150                      | Vertical | 40 Gallons  | 152 GPH                | 1206.97 |
| ST-200                      | Vertical | 53 Gallons  | 199 GPH                | 1603.96 |
| SST-450                     | Vertical | 113 Gallons | 349 GPH                | 3029.92 |
| L160                        | Horiz    | 42 Gallon   |                        | 1303.96 |
| L200                        | Horiz    | 53 Gallon   |                        | 1450.96 |
| S120W                       | Vertical | 32 Gallon   |                        | 880.98  |
| SM300                       |          | 77 Gallon   | Hi Cap Solar Dual Coil | 2164.94 |
| SM400                       |          | 106 Gallon  | Hi Cap Solar Dual Coil | 3052.92 |
| Mixing Valve Station 450011 |          |             |                        | 939.97  |
| Pumping Station 450012      |          |             |                        | 529.99  |
| 2-Module Header 450013      |          |             |                        | 254.99  |
| 3-Module Header 450014      |          |             |                        | 383.99  |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.



**BUDERUS RADIATION**

**Solidoflux "N" Panel Radiator**

All white steel panel radiator with fluted front and rear surfaces. Fits into any decor. Standard features & equipment includes an integral flow setter valves, manual air vent, wall mounting bracket ste and piping trim, bleeder and bottom right hand R20 (3/4") male piping connections.

| MODEL #22        |                |        |
|------------------|----------------|--------|
| DIMENSIONS       | BTU<br>@ 180 F | LIST   |
| 12" x 24" x 4.0" | 2850           | 229.00 |
| 12" x 36" x 4.0" | 4275           | 263.00 |
| 12" x 48" x 4.0" | 5700           | 297.00 |
| 12" x 63" x 4.0" | 7125           | 330.00 |
| 12" x 71" x 4.0" | 8550           | 363.00 |
| 20" x 16" x 4.0" | 2650           | 236.00 |
| 20" x 24" x 4.0" | 4000           | 265.00 |
| 20" x 36" x 4.0" | 6000           | 308.00 |
| 20" x 48" x 4.0" | 8000           | 351.00 |
| 20" x 59" x 4.0" | 10000          | 392.00 |
| 20" x 71" x 4.0" | 12000          | 436.01 |

| MODEL #22        |                |        |
|------------------|----------------|--------|
| DIMENSIONS       | BTU<br>@ 180 F | LIST   |
| 24" x 16" x 4.0" | 3080           | 265.00 |
| 24" x 24" x 4.0" | 4600           | 300.00 |
| 24" x 36" x 4.0" | 6900           | 352.00 |
| 24" x 48" x 4.0" | 9200           | 404.00 |
| 24" x 59" x 4.0" | 11500          | 455.01 |
| 24" x 71" x 4.0" | 13800          | 508.01 |
| 36" x 16" x 4.0" | 4300           | 316.00 |

|                                      |       |
|--------------------------------------|-------|
| 013G5002 Radiator Manual Adjuster    | 11.00 |
| 1016311 Strt Radiator Diverter Valve | 37.00 |
| 6198924 1/2"Cop Radiator Comp Ftg    | 13.00 |

PLEASE NOTE: Columbia Pipe & Supply Co.'s pricing service is distributed semi-monthly and is subject to adjustment between distributions. Please call our office for most current prices. Thank you.